

14 如何 Craziing 如何 如何如何 如何 如何



如何

如何 如何 10000 如何 如何.

20 如何如何 如何如何 如何 如何.

20 如何如何 如何 如何 如何如何 如何 如何.

20 如何 如何 如何 如何.

如何 如何 如何 如何如何 如何如何 如何如何 Armani Zara 如何.

Cupwind 如何如何如何 如何 如何 如何如何 如何如何 如何





我們提供多種不同尺寸、顏色、厚度的圓形蓋子，以滿足您的不同需求。

我們提供多種不同尺寸、顏色、厚度的圓形蓋子，以滿足您的不同需求。

我們提供多種不同尺寸、顏色、厚度的圓形蓋子，以滿足您的不同需求。

我們提供多種不同尺寸、顏色、厚度的圓形蓋子，以滿足您的不同需求。

我們提供多種不同尺寸、顏色、厚度的圓形蓋子，以滿足您的不同需求。

我們提供多種不同尺寸、顏色、厚度的圓形蓋子，以滿足您的不同需求。

Cupwind 提供多種不同尺寸、顏色、厚度的圓形蓋子，以滿足您的不同需求。

TEST REPORT

SHENZHEN JIERUMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HONGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (852) 3087-0435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING	
PASS	<u> X </u>
FAIL	<u> </u>
DATA	<u> </u>

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD /
BEVERAGE GLASSWARE-EXTERIOR


Sample Description:		DESCENDANT COATING CANDLE JAR	
Manufacturer:	CUPWIND COOPERATED FACILITY	P.O. No.:	/
Buyer:	PRV	Style:	
Country of Origin:	CHINA	Country of Destination:	USA
Commodity:	DESCENDANT	SKU Number:	110MAR 0090
Brand Name:	CUPWIND®		
Re-test:	Yes: ☐ No: ☐	Change Vendor:	Yes: ☐ No: ☐
Previous Report No.:	/		

EXECUTIVE SUMMARY

Test content		Result/Rating		
CA 101 Lead & Cadmium on non-food/coverglass interface		Moist Pass		
Effectiveness of erasing	ASTM F2192-90 (Sec. 4.2.3 MoC)	Wipe a large-area circular, scratch-free portion around the inside tracks of the article. Then, remove any "residue" or visible residue (bottom surface of the glass). As scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, thoroughly wipe the water and examine each probe for fractures. That since no fractures. Repeat the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2192-90 (Sec. 4.2.3 MoC) (3) (b) (2) (c)	Modification: expanded scope to all other glass products in addition to candle containers. Shut out cracks or break after cooled per below prepare a cold-water bath at 21 ± 1.1°C (70 ± 2°F). Prepare a hot bath at 77 ± 1.1°C (160 ± 2°F) immerse the sample completely in the hot bath and allow to soak for 3 min ± 1 s. Transfer the sample to the cold bath, and immerse for at least 30 s. Remove the sample from the cold bath and examine the sample for any cracking. Note: The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. The time of transfer from the hot bath to the cold bath shall be 15 s ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

3. Full services provided for test results in this report.

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□□□□ Cupwind □□□□ □□□□□ □□□□□ □□ □□□□ □□□.

[illegible]

[illegible]

Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



Neck



Stopper



Reed



Gift Box.



Gift Box

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

[illegible]