


14 Highball

Highball 是威士忌和冰塊的組合，是威士忌最基本的飲法。Highball 是威士忌和冰塊的組合，是威士忌最基本的飲法。Highball 是威士忌和冰塊的組合，是威士忌最基本的飲法。



Highball 是威士忌和冰塊的組合，是威士忌最基本的飲法。Highball 是威士忌和冰塊的組合，是威士忌最基本的飲法。Highball 是威士忌和冰塊的組合，是威士忌最基本的飲法。







1. 本報告書は、お客様の依頼に基づき、当社の試験室において実施された試験の結果を記載したものです。
 2. 試験結果は、試験に使用されたサンプルの特性や試験条件の影響を受ける可能性があります。



TEST REPORT



8821097-0435
Page 3 of 4

SHENZHEN JIERUMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHEN ROAD,
HENGGAO, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: 08521097-0435

ATTN: SMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISD DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING

PASS ☒
FAIL ☐
DATA ☐

TESTING FOR CASS LEAD & CADMIUM ON NON-FOOD BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR
Manufacturer:	CUPWIND COOPERATED FACILITY
Buyer:	SPSY
Country of Origin:	CHINA
Color:	IRIDESCENT
Brand name:	CUPWIND®
Re-test:	Yes: ☐ No: ☒
Charge Vendor:	Yes: ☒ No: ☐
Previous Report No.:	17

EXECUTIVE SUMMARY:

Test content		Result Rating	Pass/Fail	
CA (Pb, Lead) & Cadmium on non-food/beverage glassware-exterior				
Effectiveness of etching	ASTM F2179-20 Sec. 4.2 (M40)	With a tungsten-carbide scribe, scratch twice around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (M40) / ASTM C149	Modification: expanded scope to all other glass products in addition to candle containers. Shall not crack or break after tested per below: - prepare a cold-water bath at 21±1.1°C (70±2°F); - prepare a hot bath at 71±1.1°C (160±2°F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath, and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - Do not water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

1. No enclosed protocol for test results in this report.



Cupwind 144 / 72 / 48 / 24 等規格のガラス製品を提供しています。

本報告書は、お客様の依頼に基づき、当社の試験室において実施された試験の結果を記載したものです。試験結果は、試験に使用されたサンプルの特性や試験条件の影響を受ける可能性があります。

本報告書は、お客様の依頼に基づき、当社の試験室において実施された試験の結果を記載したものです。試験結果は、試験に使用されたサンプルの特性や試験条件の影響を受ける可能性があります。



The image shows the Cuparind perfume packaging, which includes a black rectangular box with gold lettering and a cylindrical gold-colored container with a black label.

Gift Box



