

14
 Crazy Green



14

10000

20

20

20

Armani Zara

Cupwind





我們提供多種不同尺寸、顏色、厚度的圓形木蓋，歡迎垂詢。我們可根據客戶需求提供不同規格、顏色、厚度的圓形木蓋。

我們提供多種不同尺寸、顏色、厚度的圓形木蓋，歡迎垂詢。我們可根據客戶需求提供不同規格、顏色、厚度的圓形木蓋。

我們提供多種不同尺寸、顏色、厚度的圓形木蓋，歡迎垂詢。我們可根據客戶需求提供不同規格、顏色、厚度的圓形木蓋。

我們提供多種不同尺寸、顏色、厚度的圓形木蓋，歡迎垂詢。我們可根據客戶需求提供不同規格、顏色、厚度的圓形木蓋。

我們提供多種不同尺寸、顏色、厚度的圓形木蓋，歡迎垂詢。我們可根據客戶需求提供不同規格、顏色、厚度的圓形木蓋。

我們提供多種不同尺寸、顏色、厚度的圓形木蓋，歡迎垂詢。我們可根據客戶需求提供不同規格、顏色、厚度的圓形木蓋。

Cupwind 提供多種不同尺寸、顏色、厚度的圓形木蓋，歡迎垂詢。我們可根據客戶需求提供不同規格、顏色、厚度的圓形木蓋。

TEST REPORT

SHENZHEN JIERUMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (852) 3087-0435

ATTN: EMMA ZOU
CC: emma@oupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING	
PASS	
FAIL	
DATA	

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD
BEVERAGE GLASSWARE-EXTENSION

Sample Description:	DESCENDANT COATING CANDLE JAR		
Manufacturer:	CUPWIND COOPERATED FACILITY	P.O. No.:	/
Buyer:	PSY	Style:	
Country of Origin:	CHINA	Country of Destination:	USA
Color:	DESCENDANT	SKU Number:	110Mar 8090
Brand name:	CUPWIND®		
Re-test:	Yes: ☐ No: ☒	Change Vendor:	Yes: ☒ No: ☐
Previous Report No.:	/		



185217087 0425
Page 3 of 4

EXECUTIVE SUMMARY


Test content		Result/Rating		
CA 101 Lead & Cadmium on non-food/coverage glassware interface		Most Pass		
Effectiveness of rinsing	ASTM F2197-93 (Sec. 4.2.3.10)	With a large-volume water source, scrub the area around the inside cracks of the article. Then scrub the entire inside surface of the entire inside surface of the glass. As scrubbing area to be made using sufficient product to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes. Empty the water and examine each piece for fractures. That show no fractures. Repeat the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2197-93 (Sec. 4.2.3.11) / 3) FM 1249	Modification: expanded scope to all other glass products in addition to food containers. Shut out cracks or break after cooled per below prepare a cold-water bath at 21 ± 1.1°C (70 ± 2°F). Prepare a hot bath at 77 ± 1.1°C (160 ± 2°F) immerse the sample completely in the hot bath and allow to soak for 3 min ± 1 s. Transfer the sample to the cold bath, and immerse for at least 30 s. Remove the sample from the cold bath and examine the sample for any cracking. Note: The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. The time of transfer from the hot bath to the cold bath shall be 15 s ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products addition to food containers.	M	PASS

REMARK:

3. Full services provided for test results in this report.

[illegible]

00000000 00000000 00000000 00000000 0000 00 00000000 00000000 0000 00000000 0000 0 00000000 00000000 00000000 00000000.



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

□□□□ Cupwind □□□□ □□□□□□ □□ □□□□ □□□.

[illegible]

[illegible]

Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



Neck



Stopper



Reed



Gift Box.



Gift Box

□□□□□□ □□□□□□ □□□□□ □□□□ □□□□□□□□

በጣም ምሳሌያዊ የሆነው የ Cupwind ስርዓት በጥንቃቄ የሚመለከቱ ሰራተኞች በጣም ጥሩ የሚሆኑት ሰራተኞች ናቸው። በጣም ጥሩ የሚሆኑት ሰራተኞች ሲሆኑ በጣም ጥሩ የሚሆኑት ሰራተኞች ናቸው።