

OEM ODM



CPWYCP007	
D100xH170mm	450 65 /
5	15
500	
1	24
45	
30%	%70









[illegible][illegible]



□□□□□□ □□□□ □□



□□□□□□□□ □□□□ □□□□



〇〇〇〇〇 〇〇〇 〇〇〇 〇〇〇 〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇

〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇〇
 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇 6 〇〇 〇〇〇 〇〇〇〇〇 〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇.

〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇 〇〇〇〇 〇〇〇 〇〇〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇〇
 〇〇〇〇〇〇〇〇 〇〇 〇〇〇〇〇〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇.



Cupwind

Q1: 00000 0000000 000000 00 00 Cupwind

A1: □□□□□□ □□□□ □□□□□ □□□□ 25 □□□□□ 10-7 □□□□.

Q2: 如何 在 一个 线程 中 使用 Cupwind?

1200 個 50 個 個個個個 個個個個 個個個個 個個個 個個個個個 個個個個個 個個個 個 :20 個個個 個個個.

Q3: 00000 0000 00 00 Cupwind

A1: 00000000 00000000 00000000 00000 50-35 0000.

```

00 000000 00000 00000 00 00 :4Cupwind

```

A1: 30% 00 0000 0000 0000 %70 00000 B/L 100 00% L/C 00000 00.

0000 000000 0000 00000000 00000000 0000 00 00 :5 Cupwind

000 0000 00 :5 FOB 000000 000000 000 0000000 0000000 000000 0000 00 0000 000000 0000 000000 00

00000000 000000 000000 0000000 000000 000 0000 0000 00 :6

0000000 00 0000000 0000000 000 000000 000 0000000 00 000 00000 :6

00000000 000000 00000 00 00000000 0000 000000 0000000 00 0000000 00 000000 0000 0000000.

0000 0000 00 :7 Cupwind 00000000 00000000

00 0000000 00000000 00000 00000 00000000 000000 00000000 0000 0000000 000 00 :7 Cupwind 0000000000 000000 .000000000 00000000 000 00000000 00000000 00 000000 00000 00000 00000000 00000 00000 00000 0000 0000 00000 0000 00 0000000 00000 0000 000000000 00000 000 00000000 00 00000 00000.



