



[illegible]



□□□□□□ □□□□ □□



□□□□□□□□ □□□□ □□□□



Cupwind

Q1: 00000 00000000 0000000 00 00 Cupwind

A1: □□□□□□ □□□□ □□□□□ □□□□ 25 □□□□□ 10-7 □□□□.

Q2: 如何 在 代码 中 实现 Cupwind?

1200 個 50 個 個個個個 個個個個 個個個個 個個個 個個個個個 個個個個個 個個個 個 :20 個個個個 個個個個.

Q3: 如何设计 一个 叫 Cupwind

A1: 00000000 00000000 00000000 00000 50-35 0000.

```

00 000000 00000 00000 00 00 :4Cupwind

```

A1: 30% 鋼 鋼鋼 鋼鋼 鋼鋼 %70 鋼鋼鋼 B/L 100 鋼% L/C 鋼鋼鋼 鋼.

0000 000000 0000 00000000 00000000 0000 00 00 :5 Cupwind

000 0000 00 :5 FOB 000000 000000 000 000000 000000 00000000 0000 00 0000 000000 0000 000000 00

00000000 000000 000000 00000000 000000 0000 0000 0000 00 :6

00000000 00 000000 00000000 0000 000000 0000 000000 00 0000 0000 :6

00000000 000000 000000 0000 00 000000 00000000 000 000000 000000 00 000000 00 000000 0000 000000.

0000 0000 00 :7 Cupwind 00000000 00000000

00 000000 00000000 0000 0000 00000000 000000 000000 000000 0000 00000000 000 000000 0000 00 :7 Cupwind 0000000000 000000 .00000000 00000000 0000 00000000 00000000 00 000000 000000 000000 000000 000000 0000 0000 0000 0000 00 000000 000000 00000000 000000 0000 00000000 00 000000 0000.



