

በጣም ስህተት የሚደረግበት የጥያቄ ማስፈጸም ለጥያቄው የሚገባውን ጥሬ ጥቅል ማስፈጸም ሲባል ነው።

በጣም ስህተት 10000 የሚደረግበት ሲባል ነው።

20 የሚደረግበት የጥያቄ ማስፈጸም ሲባል ነው።

20 የሚደረግበት የጥያቄ ማስፈጸም ሲባል ነው።

20 የሚደረግበት የጥያቄ ማስፈጸም ሲባል ነው።

በጣም ስህተት የሚደረግበት የጥያቄ ማስፈጸም ሲባል ነው። Armani Zara ሲባል ነው።

በupwind የሚደረግበት የጥያቄ ማስፈጸም ሲባል ነው።




我們提供各種不同顏色、大小、形狀、厚度的塑膠容器，歡迎來電諮詢。

我們提供各種不同顏色、大小、形狀、厚度的塑膠容器，歡迎來電諮詢。Cupwind 提供各種不同顏色、大小、形狀、厚度的塑膠容器，歡迎來電諮詢。OEM 及 ODM 服務。

我們提供各種不同顏色、大小、形狀、厚度的塑膠容器，歡迎來電諮詢。3000 種不同顏色、大小、形狀、厚度的塑膠容器，歡迎來電諮詢。









□□□□ Cupwind □□□□ □□□□ OEM □ ODM □□□□□□.

□□□□□□ □□□□□□ □□□□□□ □□□□ □□□□□ □□□□□□ □□ □□□□□ □□ □□□□□ □□□.

□□□□□□ □□□□□□ □□□□□□ □□□ □□□□ □□□□□□ □□□□ □□□□□□.

Cupwind ☐ ☐☐☐☐☐☐ ☐☐☐☐☐☐☐ ☐☐☐☐☐☐ ☐☐☐☐ ☐☐ [C](#) .

TEST REPORT

SHENZHEN JIERUMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD
HONGKANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (852) 3087-6435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING	
PASS	<u> X </u>
FAIL	<u> </u>
DATA	<u> </u>

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:		DESCENDANT COATING CANDLE JAR	
Manufacturer:	CUPWIND COOPERATED FACILITY	P.O. No.:	/
Buyer:	PRV	Style:	
Country of Origin:	CHINA	Country of Destination:	USA
Commodity:	DESCENDANT	SKU Number:	11044-0090
Brand Name:	CUPWIND®		
Re-test:	Yes: ☐ No: ☐	Change Vendor:	Yes: ☐ No: ☐
Previous Report No.:	/		




180217007 0426
Page 3 of 4

EXECUTIVE SUMMARY

Test content		Result Rating		
CA 101 Lead & Cadmium on non-food/overage glassware interior		Moist Heat		
Effectiveness of annealing	ASTM F279-96 Sec. 4.2 (NAI)	With a tungsten-carbide wire, scratch once around the inside rim of the article. Then scribe an "X" across the inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill article with water at the same room temperature as the glass. Wait 15 minutes. Remove the water and examine each piece for fractures. Each article is to fracture. Record the number of fractures, if any, for each test.	M	PA33
Thermal shock	ASTM F279-96 Sec. 4.2 (M2) / ASTM C149	Modification: expanded scope to all other glass products in addition to jar-like containers. Soak test unit in hot water (180 °F) for 15 min. Prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F). Prepare a hot bath at 71 ± 1 °C (160 ± 2 °F). immerse the sample completely in the hot bath and allow to soak for 1 min. Transfer the sample to the cold bath and immerse for at least 30 s. Remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container - the subsequent immersion - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s Modification: sampling procedure not followed and expanded scope to all other glass products in addition to jar-like containers.	M	PA33

PREMARK.

4. Put unreviewed/preliminary test results in this report.

[illegible][illegible]

A horizontal number line with 15 empty rectangular boxes for writing numbers. The boxes are arranged in a single row, with a small gap between the 6th and 7th boxes, and another small gap between the 11th and 12th boxes.

Cupwind

144 / 72 / 48 / 24

 144 / 72 / 48 / 24

[illegible]

2020 年 1 月 1 日起，Cupwind 公司开始实施新会计准则。新会计准则的实施，对 Cupwind 公司的财务状况、经营成果和现金流量产生了重大影响。Cupwind 公司管理层认为，新会计准则的实施，对 Cupwind 公司的财务状况、经营成果和现金流量产生了重大影响。Cupwind 公司管理层认为，新会计准则的实施，对 Cupwind 公司的财务状况、经营成果和现金流量产生了重大影响。