□□□ 10 □□□□□□□□□

□□□□	CPWZT0502 □□□105mm □□□74mm □□□78□□ □□□384ml □□□464□ □□8□□
□□□□□□	□□□□ 7-10 □□□□□ 25 □
□□□	5000□
□□	24/48 □□□□□□□□□□□□□□
□□□□□	□□□□□ 35-45 □
□□□□	□□30%□□□70%□□□□□□
□□	□□□□□□□□□

[illegible]20,000-30,000[illegible] 8 [illegible]

[illegible] 10 [illegible]

[illegible]

[illegible]

Cupwind[illegible]ASTM[illegible]ASTM [illegible]

DC-0515
低温恒温槽
Low Temperature Thermostat
020.61℃
020.00℃
上海小蚂蚁仪器设备有限公司

DC-0515
低温恒温槽
Low Temperature Thermostat
080.04℃
080.00℃
0005
上海小蚂蚁仪器设备有限公司

Cupwind□□□□□□

□□□□□□□

本企业通过ISO9001:2015质量管理体系认证
ISO14001:2015环境管理体系认证
全生产责任于泰山

□□□□□□□



[illegible]

[illegible]48[illegible]/72[illegible]

[illegible]



[illegible]

Q1: Cupwind [illegible]
A1: [illegible] 7-10 [illegible] 25 [illegible]

Q2: Cupwind [illegible]
A2: [illegible] USD50-1200[illegible]

Q3: Cupwind [illegible]
A1: [illegible] 35-50 [illegible]

Q4: Cupwind[illegible]
A1: 30% [illegible]70% [illegible] 100% [illegible]

Q5: Cupwind [illegible]
A5: [illegible] FOB [illegible]

Q6: [illegible]
A6: [illegible]
[illegible]

Q7: Cupwind[illegible]
A7: [illegible]Cupwind QC [illegible]