Wohnaccessoires Glaskuppel, kleine Kerzenglocke

Diese Glaskuppel ist ein maschinengepresstes Produkt, sie ist dick und robust, elegant.

Es ist ein perfektes Accessoire für Duftkerzen und eine gute Dekoration zu Hause, im Büro und im Spa.

Cupwind ist ein qualitätsorientiertes und serviceorientiertes Unternehmen .
Wir bieten seit Jahren OEM- und ODM-Service an, unsere Produkte werden von unseren Kunden sehr empfohlen.

Cupwind bietet mehr als nur eine Dekoration auf dem Kerzenglasglas, wir haben unsere Dekorationswerkstatt, die 10000 m groß ist^2 Platz
und haben mehr als 20 verschiedene Handwerke, um mehrere Dekorationen zu erhalten Kerzenhalter,
einige davon sehen Sie auf dem Bild unten.

Jede Bestellung wird vor dem Versand von Dritten mit Glüh- und Thermoschocktest, Blei- und Cadiumtest getestet.

.

TEST REPORT

SHENZHEN JIERUIMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (8521)097-0435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING

PASS	X
FAIL	
DATA	

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD / BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR		
Manufacturer:	CUPWIND COOPERATED FACILITY	P.O. No.:	/
Buyer:	IPSY	Style:	/
Country of Origin:	CHINA	Country of Destination:	USA
Color:	IRIDESCENT	SKU Number:	ITEM#: 8090
Brand name:	CUPWIND 标		
Re-test:	Yes: / No: X	Charge Vendor:	Yes: X No: /
Previous Report No.:	/		

(8521)097-0435
Page 3 of 4

EXECUTIVE SUMMARY:

Test content	Result	Rating
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior	Meet/Pass	

Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod)	With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test. Modification: expanded scope to all other glass products in addition to candle containers.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149	Shall not crack or break after tested per below - prepare a cold-water bath at 21± 1.1°C (70 ± 2°F); - prepare a hot bath at 71 ± 1.1°C (160 ± 2°F) - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 10 s. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

1. No enclosed protocol for test results in this report.

Verpackung von Kerzenhaltern

Cupwind kümmert sich mit Herz um jedes Stück Kerzenhalter.
Jeder Kerzenhalter ist in einer Plastiktüte verpackt, 24 Stück / 48 Stück / 72 Stück / 144 Stück, die in eine Kartonschachtel mit Eierteilern eingesetzt sind.
Das Beladen mit Holzpaletten ist sicherer und effizienter. Am Ende haben wir ein Baumwollnetz an der Türöffnungsstelle, um ein Herunterfallen zu verhindern.



Zubehör für Kerzenhalter

Bei Anfragen unserer Kunden bietet Cupwind auch an Zubehör wie zum Beispiel Geschenkbox für Duftkerzen, Docht-Werkzeug-Set wie Dochtschere, Schneider, Löscher,
Deckel aus Holz und Metall wie Edelstahl und Zinklegierung.

Wick Trimmer Cutter

Zinc Alloy Lid

Wooden Lid

Neck

Stopper

Reed

Gift Box.

Gift Box

Workshop-Tour