

Fragancia para el hogar White Reed Difusor Botella 8.5oz

Esta botella difusora de caña blanca puede contener 8.5 oz de aceite de fragancia. Es un producto caliente en el mercado.

El diseño único lo hace lucir hermoso y perfecto para la decoración del hogar, la aromaterapia, el spa, la meditación y el baño.

Es un buen partido con [candelero blanco](#) también.



La botella difusora de caña blanca vacía también es un buen jarrón para flores, simple pero elegante.

Te trae alegría y amor.



Cupwind es uno de los más profesionales. [Fabricación de botellas difusoras de caña blanca en China.](#)

Tenemos nuestro propio taller de decoración para vigilar la calidad de la botella difusora de caña antes de enviarla.

El MOQ de esta botella difusora con forma de cuerpo redondo es de 5000 piezas



Cupwind también ofrece otros accesorios relacionados con la botella difusora de caña, como caña, enchufe, caja de regalo, tapón, etc.

Tenemos 6 socios cooperativos estables durante años. La calidad es una gran combinación con nuestros portavelas.

Tapón para botella difusora



Tapón para botella difusora



Caña para botella difusora






También ofrecemos cajas de regalo OEM y ODM para botellas difusoras de caña.

Si la caja de regalo no es necesaria, la forma común que usamos es envolver cada portavelas en una bolsa de opp para evitar el polvo.

luego, cada caja de cartón empaqueta 48 piezas de vidrio para velas separadas por un divisor de huevos. El palé de madera siempre es eficiente durante el transporte, y agregaremos una red de algodón en el lugar de la puerta para protegerlo de caídas al abrir la puerta del contenedor.



Todos los portavelas de vidrio que enviamos son probados por un tercero
Las pruebas que siempre hacemos como las pruebas de Recocido y Choque Térmico

Pruebas Cali 65 Pro

Pruebas de plomo y cadmio



TEST REPORT



(8521)097-0435
Page 3 of 4

SHENZHEN JIERUIMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (8521)097-0435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING

PASS ☒
FAIL ☐
DATA ☐

TESTING FOR CA 65 LEAD & CADMIUM ON NON-FOOD / BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR
Manufacturer:	CUPWIND COOPERATED P.O. No.: /
Buyer:	IPSY Style: /
Country of Origin:	CHINA Country of Destination: USA
Color:	IRIDESCENT SKU Number: ITEM# 8090
Brand name:	CUPWIND®
Re-test:	Yes: ☐ No: ☒ Charge Vendor: Yes: ☒ No: ☐
Previous Report No.:	/

EXECUTIVE SUMMARY:

Test contents			Result/Rating	
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior			Meet/Pass	
Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod)	With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test. Modification: expanded scope to all other glass products in addition to candle containers.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149	Shall not crack or break after tested per below prepare a cold-water bath at $21 \pm 1.1^{\circ}\text{C}$ ($70 \pm 2^{\circ}\text{F}$). - prepare a hot bath at $71 \pm 1.1^{\circ}\text{C}$ ($160 \pm 2^{\circ}\text{F}$) - immerse the sample completely in the hot water bath and allow to soak for $5 \text{ min} \pm 10 \text{ s}$. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion - the time of transfer from the hot bath to the cold bath shall be $15 \pm 1 \text{ s}$ Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

1. No enclosed protocol for test results in this report.