

## Portavelas votivas iridiscentes 2.5 oz



**A:** Taller de decoración de 10000 metros cuadrados.

20 tipos de máquinas de decoración diferentes.

20 años de experiencia en el área de decoración.

Apoyo a más de 20 fábricas de vidrio estables.

Fabricación de marcas famosas en todo el mundo como Armani Zara, etc.

Cupwind es un profesional [Proveedor de candelabros votivos iridiscentes de China](#)

### Características del producto

- Portavelas votivas de 2,5 oz iridiscentes, que es un tamaño perfecto popular para velas de pequeña capacidad.

- Recubrimiento iridiscente Aurora Polaris que lo hace lucir impresionante.

- Portavelas de vidrio prensado a máquina que puede pasar las pruebas de recocido y choque térmico.



- Este hermoso candelero votivo iridiscente es una buena opción para fines de promoción.

- MOQ pequeño que es bueno para las pequeñas empresas.

- Siempre se vende en paquete con una hermosa caja de regalo, como un juego de 3, un juego de 6, etc.



Cupwind acepta diseños personalizados OEM/ODM.

Podemos crear su propia forma con o sin marca.

La decoración está disponible para pulverización, galvanoplastia, pintura metálica, calcomanía, estampado en caliente, serigrafía, chorro de arena, transferencia de agua, etc.



**TEST REPORT**

SHENZHEN JIUSHIJI TRADING CO., LTD. LAB LOCATION: SHENZHEN  
HENGJIANGJIAJIE, SHENZHEN, CHINA LAB NO.: 0102877-001

DATE IN: APR 07, 2021  
MOD. LOG IN: /  
DATE OUT: APR 13, 2021  
REVISED DATE: /  
PAGE: 2 OF 4

SYN: EMMA ZOU  
CC: emma@cupwind.com

EXECUTIVE SUMMARY:

| Discipline of analysis | ASTM F2190-20 (Sec. 4.2 (M4))                                                                                                                                                                                                                                                                                                                                                                                  | Test                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Result |      |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|
| Discipline of analysis | With a long-term candle wick, scratch area around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait for 15 minutes. Examine for fractures. If any, for each test. | M                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | PASS   |      |
| Thermal shock          | ASTM F2190-20 Sec. 4.2 (Mod.) (ASTM C-64)                                                                                                                                                                                                                                                                                                                                                                      | Modification: expanded scope to all other glass products in addition to candle containers. - Do not crack or break after tested per below: - prepare a cold water bath at 21 ± 1 °C (70 ± 2 °F); - prepare a hot bath at 71 ± 1 °C (160 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 10 s; - transfer the sample to the cold bath; and - immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - The time of transfer from the hot bath to the cold bath shall be 10 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers. | M      | PASS |

TESTING FOR: CARS LEAD & CADMIUM ON NON-FOOD / BEVERAGE GLASSWARE-EXTERIOR

Sample Description: IRIDESCENT COATING CANDLE JAR  
Manufacturer: CUPWIND COOPERATED FACILITY P.O. No.:  
Buyer: SP5Y Style:  
Country of Origin: CHINA Country of Destination: USA  
Color: IRIDESCENT SKU Number: ITEM# 3050  
Brand name: CUPWIND®  
Warranty: Yes No Change Vendor: Yes No

REMARK:

Cupwind tiene un taller de decoración de 10000 metros cuadrados.



20 tipos de máquinas de decoración diferentes.

20 años de experiencia en el área de decoración.

Más de 20 fábricas de vidrio estables que brindan apoyo con varios recipientes de vidrio.

### Proceso de embalaje y paletización

Cartón corrugado con divisores transversales, seguro para envío internacional.

Caja de regalo personalizada, se aceptan requisitos de caja blanda.

