

Cupwind New Designs Bougeoir Tournesol 8oz

Q

Notre force ?

Bougeoir fourniture chine

Atelier de décoration de 10000 mètres carrés.


20 types de machines de décoration différentes.

20 ans d'expérience dans le domaine de la décoration.

Plus de 20 usines de verre stables.

Marques de renommée mondiale telles que Armani Zara, etc.

Caractéristique du produit



- Application de décalque de sérigraphie couleur 4C.

- Remplissage de cire de 8 oz pouvant brûler au moins 34 heures.

- [Nouveau bougeoir design produit de la Chine](#), logo personnalisé disponible.



Effet du processus

Cupwind accepte la conception personnalisée OEM/ODM.

Nous pouvons créer votre propre forme avec/sans nom de marque.

La décoration est disponible pour la pulvérisation, la galvanoplastie, la peinture métallique, la décalcomanie, l'estampage à chaud, la sérigraphie, le sablage, le transfert d'eau, etc.



Toutes les commandes du pot à bougie en verre sont testées par un tiers. Habituellement, nous utilisons les tests Cali 65 Pro, les tests ASTM (recuit et choc thermique), les tests au plomb et au cadmium.



TEST REPORT

SHENZHEN JIERUMA TRADING CO., LTD
NO.415 PINGJIAN BUILDING, SHENZHEN ROAD,
HENGSIANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (8621)087-0435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: 3/27/2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 3
PAGE: 2 OF 4

OVERALL RATING

PASS	X
FAIL	

TESTING FOR
CA 85 LEAD & CADMIUM ON NON-FOOD /
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR		
Manufacturer:	CUPWIND COOPERATED		
Model:		P.O. No.:	
Country of Origin:	CHINA	Country of Destination:	USA
Color:	IRIDESCENT	SKU Number:	ITEM# 8090
Brand name:	CUPWIND III		
Re-test:	Yes: <input type="checkbox"/>	No: <input checked="" type="checkbox"/>	Change Vendor: Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	17		

EXECUTIVE SUMMARY:

Test content	Result/Rating	Method	Pass	
CA 85 Lead & Cadmium on non-food/beverage glassware-exterior	Pass			
Examination of annealing	ASTM F2159-20 Sec. 4.2 (PASS)	Wet a large cleanable work, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the glass. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wet 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2159-20 Sec. 4.2 (Mod) / ASTM C440	Modification: expanded scope to all other glass products in addition to candle containers. Shall not crack or break after second per below: - prepare a cold water bath at 21± 1.1°C (70 ± 2°F); - immerse a hot bath at 71 ± 1.1°C (160 ± 2°F); - immerse the sample in the hot bath for 15 ± 1 s; - transfer the sample to the cold bath and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

- No enclosed product for test results in this report.

Cupwind dispose d'un atelier de décoration de 10000 mètres carrés.

20 types de machines de décoration différentes.

20 ans d'expérience dans le domaine de la décoration.

Plus de 20 usines de verre stables prenant en charge divers récipients en verre.

Processus d'emballage et de palette



Carton doublé avec séparateurs croisés, sans danger pour les envois internationaux.

Boîte-cadeau personnalisée, les exigences en matière de boîte sécurisée sont acceptables.

