

Vente en gros de pots de bougies irisées bleu 8 oz



Notre force :

Atelier de décoration de 10000 mètres carrés.

20 types de machines de décoration différentes.

20 ans d'expérience dans le domaine de la décoration.

Plus de 20 usines de verre stables.

Des marques de renommée mondiale telles que Armani Zara, etc.

Cupwind est [vente en gros de pots de bougies irisées en Chine](#) depuis plus de 10 ans.



Caoutchouc irisé à l'extérieur, sprays bleus à l'intérieur
revêtement stable qui peut passer le test M616 du ruban hachuré

MOQ 2000pcs sur le revêtement irisé

Look de luxe qui est la nouvelle tendance sur le marché



Cupwind propose également des accessoires pour bougeoirs, tels que [ensemble d'outils de bougie](#) y compris coupe-mèche, éteignoir à mèche, [plateau de bougie](#), des couvercles pour pots à bougies tels que des couvercles en acier inoxydable, des couvercles en bois, des couvercles en bambou avec joint.



Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



Neck



Stopper



Reed



Gift Box.



Gift Box

Tous les bougeoir les produits que nous expédions sont testés par des tiers, les tests que nous procédons habituellement comme le recuit et le choc thermique, le plomb et le cadmium.



TEST REPORT

SHENZHEN JIERUIMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGGAANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (852)1097-0435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN:
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING

PASS	X
FAIL	_____
DATA	_____

TESTING FOR CA 65 LEAD & CADMIUM ON NON-FOOD/ BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR		
Manufacturer:	CUPWIND COOPERATED FACILITY	P.O. No.:	/
Buyer:	IPSY	Style:	/
Country of Origin:	CHINA	Country of Destination:	USA
Color:	IRIDESCENT	SKU Number:	ITEM: 8090
Brand name:	CUPWIND®		
Re-test:	Yes: <input type="checkbox"/>	No: <input checked="" type="checkbox"/>	Charge Vendor: Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	/		



(852)1097-0435
Page 3 of 4

EXECUTIVE SUMMARY:

Test content	Result/Rating	M	PASS
CA65 Lead & Cadmium on non-food beverage glassware-exterior	Meet/Pass		
Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod) With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test. Modification: expanded scope to all other glass products in addition to candle containers.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149 Shall not crack or break after tested per below - prepare a cold-water bath at 21± 1.1°C (70 ± 2°F). - prepare a hot bath at 71 ± 1.1°C (160 ± 2°F) - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 10 s. - transfer the sample to the cold bath, and immerse for at least 50 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

- No enclosed protocol for test results in this report.

Cupwind sait comment protéger chaque produit, nous emballons chaque verre dans un sac d'opp pour éviter les poussières, chaque pot de bougie est séparé par des séparateurs d'œufs pour ne pas se frotter, une palette en bois est préférable pendant le transport, à la

fin, nous ajoutons un filet en coton à la porte du conteneur pour empêcher les cartons de tomber.

