

Commercio all'ingrosso di vetro per bottiglia con diffusore a lamella da 5 once



La nostra forza

[Commercio all'ingrosso di vetro per bottiglia con diffusore a lamella da 5 once in Cina](#)

10000 mq di proprietà di laboratorio di decorazione.

20 tipi di diverse macchine per decorare.

20 anni di esperienza nel settore della decorazione.

20 fabbrica di vetro cooperativa stabile, fabbrica di ceramica, fabbrica di confezioni regalo, fabbrica di coperchi in metallo, supporto di fabbrica di coperchi in legno.

Marchi famosi in tutto il mondo come Porsche, Armani, Zara ecc.

Questo [bottiglia diffusore di lusso](#) è perfetto per la promozione premium. La base pesante lo fa sembrare lussuoso e stupendo.



Caratteristiche del prodotto

C'è un collare e un tappo abbinati per le bottiglie del diffusore. Offriamo diversi colori di colletto per le opzioni. Le linee sul fondo della bottiglia del diffusore servono per evitare che la bottiglia di vetro si rompa durante la ricottura.

Effetto del processo



Cupwind accetta il design personalizzato OEM/ODM. Possiamo creare la tua forma con/senza un marchio. La decorazione disponibile per spruzzatura, galvanica,

verniciatura metallica, decalcomania, stampa a caldo, serigrafia, sabbiatura, trasferimento d'acqua ecc.



TEST REPORT



(8521)097-0435
Page 3 of 4

SHENZHEN JIERUMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGGAANG, 518116, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (8521)097-0435

EXECUTIVE SUMMARY:

Test content	Result/Rating
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior	Meet/Pass

ATTN: EMMAN ZOU
C/O: emm@cupwind.com
DATE OUT: APR 07 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 3 of 3

OVERALL RATING

PASS
FAIL
DATA

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD/
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR	P.O. No.:	/
Manufacturer:	CUPWIND COOPERATED FACILITY	Style:	/
Buyer:	IPSY	Country of Destination:	USA
Country of Origin:	CHINA	SKU Number:	ITEM#: 8090
Color:	IRIDESCENT		
Brand name:	CUPWIND ®		
Re-test:	Yes: ☐ No: ☒	Charge Vendor:	Yes: ☒ No: ☐
Previous Report No.:	/		

Effectiveness of article	ASTM F2178-20 Sec. 4.2 (Mod)	At this time, a chloride splash, scratch and abrasion test was performed on the surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water, the same room temperature as the glass. Tap 15 milliliters, then wash with water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2178-20 Sec. 4.2 (Mod) / ASTM C149	Modification: examine samples in air after glass products in addition to candle containers. Shall not crack or break after listed per below: - prepare a cold-water bath at 21 ± 1.1°C (70 ± 2°F). - prepare a hot bath at 71 ± 1.1°C (160 ± 2°F). - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 10 s. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

- No enclosed protocol for test results in this report.

Imballaggio e processo di pallet



Avvolgiamo ciascuno [vetro bottiglia diffusore](#) da un sacchetto del opp per tenerlo lontano dalla polvere, quindi cartoni ondulati con divisori trasversali. I pallet in legno sono sempre efficienti per le spedizioni LCL e aggiungeremo una rete di cotone nella parte della porta per evitare che cadano quando si apre la porta del container.