

Portacandele in vetro ottagonale vuoto da 7 once per fare candele alla rinfusa

Q

La nostra forza

UN: Laboratorio di decorazione di 10000 mq.

20 tipi di diverse macchine per decorare.

20 anni di esperienza nel settore della decorazione.

Supporto di oltre 20 fabbriche di vetro stabilite.

Marchi famosi in tutto il mondo come Armani Zara ecc.

Cupwind è sperimentato [Fornitore di portacandele vuoto in Cina](#) per molti anni.

caratteristiche del prodotto



Il vetro per candele realizzato in vetro soda lime, è un barattolo da 7 once per fare candele, i barattoli per candele trComeparenti sono disponibili in 4 diverse dimensioni

Questo vaso per candele da 7 once è la dimensione mini tra i set, molto adatto per i votivi

As [Fabbrica di portacandele vuoti in Cina](#) , Cupwind produce molti portacandele in vetro pressato a macchina, tutti possono superare i test di ricottura e shock termico





Possiamo creare la tua forma con/senza un marchio.

La decorazione è disponibile per spruzzatura, galvanica, verniciatura metallica, decalcomania, stampa a caldo, serigrafia, sabbiatura, trasferimento d'acqua ecc.

Offriamo set di accessori per candele in colore nero, argento, oro, rosa, bronzo ecc. Coperchi in legno, il materiale del legno è disponibile in MDF, pino, bambù, faggio, noce, paulonia, acacia, legno di gomma, quercia rossa, Quercia bianca, frassino europeo, acero ecc. Coperchi in metallo, il materiale del metallo è disponibile in stagno, acciaio inossidabile, lega di zinco, ferro inossidabile ecc.

ATTN: EMMA ZOU
CC: emma@oupsand.com

to andiamo con test Cali 65
(o), i test sul piombo e sul cad

EXECUTIVE SUMMARY

Disinfectant at sampling	ASTM F2799-05 Sec. 4.2 MPE	Wipe a large area (wide enough, scratch area) under the middle knuckle of the elbow. Then scratch an "X" across the entire middle (between surface of the elbow. All scratches must be made using sufficient pressure to just penetrate the surface of the skin. Fill each scratch with water at the same time (temperature as the water). Wait 15 minutes. Then empty the water. Modification: expanded scope to all other glass products in addition to glass containers. Shut not cracks or break after treated per below Prepare a cold-water bath at $21 \pm 1.1^\circ\text{C}$ ($70 \pm 2^\circ\text{F}$) 1. prepare a hot bath at $77 \pm 1.1^\circ\text{C}$ ($190 \pm 2^\circ\text{F}$) 2. immerse the sample completely in the hot water bath and allow to soak for 5 min ± 1.5 3. transfer the sample to the cold bath, and immerse for at least 30 s 4. remove the sample from the cold bath and examine the sample for any activity Note: The hot water that collects within the container (during the first immersion step) to retained in the container through the second immersion (the time of transfer from the hot bath to the cold bath shall be 15 ± 5 s) Modification: sampling procedure not followed and expanded scope to all other glass products	M	PA38
Thermal shock	ASTM F2799-05 Sec. 4.2 MPE ASTM C84	Modification: expanded scope to all other glass products in addition to glass containers. Shut not cracks or break after treated per below Prepare a cold-water bath at $21 \pm 1.1^\circ\text{C}$ ($70 \pm 2^\circ\text{F}$) 1. prepare a hot bath at $77 \pm 1.1^\circ\text{C}$ ($190 \pm 2^\circ\text{F}$) 2. immerse the sample completely in the hot water bath and allow to soak for 5 min ± 1.5 3. transfer the sample to the cold bath, and immerse for at least 30 s 4. remove the sample from the cold bath and examine the sample for any activity Note: The hot water that collects within the container (during the first immersion step) to retained in the container through the second immersion (the time of transfer from the hot bath to the cold bath shall be 15 ± 5 s) Modification: sampling procedure not followed and expanded scope to all other glass products	M	PA38

FREEMARK

Cupwind ha un laboratorio di decorazione di 10000 metri quadrati.

20 tipi di diverse macchine per decorare.

20 anni di esperienza nel settore della decorazione.

Oltre 20 fabbriche di vetro stabili che supportano vari vasi di vetro.

Imballaggio e processo di pallet

Cartone ondulato con divisori trasversali, sicuro per spedizioni internazionali.

Confezione regalo personalizzata, requisiti per soft box sono accettabili.

