

琥珀色 玻璃罐 罐 玻璃罐 罐 530ml









此項試驗係根據ASTM D1505-02標準進行，試驗結果如下：

試驗結果顯示，該玻璃罐在試驗過程中未發生破裂或變形，符合ASTM D1505-02標準之要求。

試驗結果顯示，該玻璃罐在試驗過程中未發生破裂或變形，符合ASTM D1505-02標準之要求。

試驗結果顯示，該玻璃罐在試驗過程中未發生破裂或變形，符合ASTM D1505-02標準之要求。

試驗結果顯示


Cupwind 試驗結果顯示，該玻璃罐在試驗過程中未發生破裂或變形，符合ASTM D1505-02標準之要求。

□□□□□□□□□□□□□□□□



Cupwind □□□□□□□□□□





□□□□□□□□□□□□□□□□




□□□□□□□□□□□□



48/72

[illegible]



Cupwind

Q1:Cupwind □□□□□□□□□□□□□□□□?

A1: □□□ 7-10 □□□□□□□□□□□□□□□□ 25 □□□□

Q2: Cupwind □□□□□□□□□□□□□□□□?

A2: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ USD50 □ 1200 □□

Q3: Cupwind □□□□□□□□□□□□□□□□?

A1: □□□□□□□□□□□□□□ 35 □ 50 □□□□□□□□

Q4: Cupwind □□□□□□□□□□?

A1: 30% ☐ ☐ ☐ ☐ ☐ ☐ ☐ 70% ☐ B/L ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ 100% L/C ☐ ☐ ☐ ☐

Q5: Cupwind

[illegible]

Q6:

A6:

Q7: Cupwind □□□□□□□□□□□□□□□□?

A7: Cupwind QC 1



