

















TEST REPORT



EXECUTIVE GAMMARY:					
	feet comment	Britain on non-Rood	Deverage glassware enterior Vises Pass		
ATTN: SNAVA 2013	Discharges of amening	ASTM F3179-30 Sec. 4-2 (Mod.)	With a lungeum cartiefe sortier, screen once around the mode knacks of the article. Their soratch an "X" across the entire mode bottom		PASE
OCalf 65 Prodo AST MADO OCIO			gass. Mild. Of minutes, from empty the water		
WORKING DAYS: 5 PAGE: 2 OF 4 OVERALL RATING			and examine such peop for fractures. Shall show no fractures. Report the number of hisotures, if any, for each test. Modification: expended scope to all other glass products in addition to conde-containers.		
PASS FALL DATA	Trems shock	ACTOR F2119-302 Sec. 4.2 (Match ACTOR CTH)	Study not clock to Device after teaming per below perspect to Consider point and 2 in 170 (This per perspect to Consider point and 2 in 170 (This per perspect to Consider per 2 in 170 (This per per perspect to Consider per 2 in 170 (This per per perspect to Consider per per per per extracted per perspect to Consider per per teaming the perspect to the perspect per perspect to the search of the consideration per perspect to the search of the consideration per perspect to the search of the consideration per perspect to the perspect to any consideration the perspect to the perspect to the consideration the perspect to the perspect to the consideration the perspect to the perspect to the perspect to the perspect to the perspect to the perspect to perspect to the perspect to the perspect to the pe	9	PASE
TESTING FOR CA 65 LEAD & CADMILIO ON NON-FOOD EXVERSOR CLASSWARE-EXTERIOR Sample Description: PROESCENT COATING CANCE JAA					
Country of Origin: O-INNA Country of Destination: USA Color: SEDESCENT SKI Number: TEMP 8000 Brand name: O-UPVN NO R Re-test: Yes: No: X Charge Vendor: Yes: X No: Yes: No: X	HEMARK: 1. No enclosed	(protocol for lead rea	el addition to candle contierers.		
2000000000					

2011111111111111

