



1. 产品描述：这是一款简约风格的白色陶瓷香薰瓶，容量为100ml，适用于各种香薰精油。瓶身设计简洁大方，底部有防滑垫，确保使用安全。瓶口配有密封盖，防止精油挥发。瓶身印有“BRAND NAME”字样，方便客户识别品牌。瓶底印有“REED DIFFUSER”字样，表明其用途。瓶身还印有“oz/ml”字样，方便客户了解容量。瓶身整体采用优质陶瓷材质，手感舒适，使用寿命长。瓶身颜色为纯白色，易于搭配各种家居环境。瓶身尺寸为15cm x 8cm x 10cm，重量为150g。瓶身价格为15元/个，MOQ为5000个。

2. 产品特点：这款香薰瓶具有以下特点：(1) 材质优质：采用优质陶瓷材质，手感舒适，使用寿命长。(2) 设计简约：瓶身设计简洁大方，易于搭配各种家居环境。(3) 容量适中：容量为100ml，适合家庭使用。(4) 密封性好：瓶口配有密封盖，防止精油挥发。(5) 防滑设计：底部有防滑垫，确保使用安全。(6) 品牌标识：瓶身印有“BRAND NAME”字样，方便客户识别品牌。(7) 用途明确：瓶底印有“REED DIFFUSER”字样，表明其用途。(8) 容量标识：瓶身印有“oz/ml”字样，方便客户了解容量。

3. 包装规格：这款香薰瓶的包装规格为：15元/个，MOQ为5000个。




□□□□□□□□□□□□□□□□



□□□□□□□□□□□□



□ □



1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

Cali 65Pro

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.



TEST REPORT



(8521)097-0435
Page 3 of 4

SHENZHEN JIERUIMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (8521)097-0435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING

PASS ☒
FAIL ☐
DATA ☐

TESTING FOR CA 65 LEAD & CADMIUM ON NON-FOOD / BEVERAGE GLASSWARE-EXTERIOR

| | |
|----------------------|---|
| Sample Description: | IRIDESCENT COATING CANDLE JAR |
| Manufacturer: | CUPWIND COOPERATED P.O. No.: / |
| Buyer: | IPSY Style: / |
| Country of Origin: | CHINA Country of Destination: USA |
| Color: | IRIDESCENT SKU Number: ITEM# 8090 |
| Brand name: | CUPWIND® |
| Re-test: | Yes: ☐ No: ☒ Charge Vendor: Yes: ☐ No: ☐ |
| Previous Report No.: | / |

EXECUTIVE SUMMARY:

| Test contents | | | Result/Rating | |
|--|--|--|---------------|------|
| CA 65 Lead & Cadmium on non-food/beverage glassware-exterior | | | Meet/Pass | |
| Effectiveness of annealing | ASTM F2179-20
Sec. 4.2 (Mod) | <p>With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.</p> <p>Modification: expanded scope to all other glass products in addition to candle containers.</p> | M | PASS |
| Thermal shock | ASTM F2179-20
Sec. 4.2 (Mod) /
ASTM C149 | <p>Shall not crack or break after tested per below</p> <p>prepare a cold-water bath at $21 \pm 1.1^{\circ}\text{C}$ ($70 \pm 2^{\circ}\text{F}$).</p> <ul style="list-style-type: none">- prepare a hot bath at $71 \pm 1.1^{\circ}\text{C}$ ($160 \pm 2^{\circ}\text{F}$)- immerse the sample completely in the hot water bath and allow to soak for $5 \text{ min} \pm 10 \text{ s}$.- transfer the sample to the cold bath, and immerse for at least 30 s.- remove the sample from the cold bath and examine the sample for any cracking. <p>Note:</p> <ul style="list-style-type: none">- the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion- the time of transfer from the hot bath to the cold bath shall be $15 \pm 1 \text{ s}$ <p>Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.</p> | M | PASS |

REMARK:

1. No enclosed protocol for test results in this report.