



A□ □□□□□□□□□□10000□□□□□□□□

20□□□□□□□□□□


□□□□□□□□20□□□□□□

20□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□ □

□□□□□





Cupwind OEM / ODM



Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



TEST REPORT



1621087 0425
Page 3 of 4

TESTING FOR CA 85 LEAD & CADMIUM ON NON-FOOD / BEVERAGE GLASSWARE-EXTERIOR	
Sample Description: IRIDESCENT COATING CANDLE JAR	
Lot No: 10000	File No:
Region: CHINA	Country of Origin: CHINA
Color: IRIDESCENT	SKU Number: ITEM# 3050
Brand name: CUPWIND B	Re-test: Yes: No: X
Change Vendor: Yes: X No:	Previous Report No: 17

EXECUTIVE SUMMARY:	
Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod):
Result Rating	Pass
Normal shock	ASTM F2179-20 Sec. 4.2 (Mod):
Result Rating	Pass

REMARK:

1. No enclosed protocol for test results in this report.

20

20

20

20

