


Frequency	Count
Daily	15
Weekly	10
Monthly	5
Never	2



□ □ □ □ □ □

□□□□□□20□□□□□

20





Cupwind OEM / ODM

[illegible]

TEST REPORT

(8521)097-0435
Page 3 of 4

LAB LOCATION: SHENZHEN
LAB NUMBER: (8521)097-0435

EXECUTIVE SUMMARY:

Test content	Result/Rating
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior	Meet/Pass

[illegible]

OVERALL RATING	
PASS	<u>X</u>
FAIL	<u> </u>
DATA	<u> </u>

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR		P.O. No.:	/
Manufacturer:	CUPWIND COOPERATED FACILITY		Style:	/
Buyer:	IPSY	Country of Destination:	USA	
Country of Origin:	CHINA	SKU Number:	ITEM#: 8090	
Color:	IRIDESCENT			
Brand name:	CUPWIND ®			
Re-test:	Yes:	No: ☐	Charge Vendor:	Yes: ☒ No: ☐

Grinding process of air bearing	ASTM F1779-90 Spec. 4.2 Mod.	With a tungsten carbide particle, scratch once around the inside periphery of the article. After each scratch, "X" marks the surface in the bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. File each article with 1000 grit file (medium) and sandpaper as the glass. Wait 15 minutes, then inspect the wear and examine each piece for fractures.	65	PASS

REMARK:

1. No enclosed protocol for test results in this report



□ □ □ □ □ □ □ □ □

