

3 sumbu Octangle Clear Glassware Candle Holder Isi 23oz untuk Lilin Wangi

Q

Kekuatan kita?

A: Bengkel menghias 10000 meter persegi.

20 jenis mesin menghias yang berbeza.

20 tahun pengalaman dalam bidang menghias.

20 kilang kaca stabil menyokong.

Pembuatan jenama terkenal di seluruh dunia seperti Armani Zara dll.

Cupwind berpengalaman [Pembekal pemegang lilin kaca 3 sumbu China](#) selama bertahun-tahun.



Ciri-ciri Produk

3 wick [pemegang lilin barangan kaca segi empat tepat](#), yang merupakan saiz yang popular di pasaran, kami mempunyai set 4 saiz berbeza untuk pilihan anda.

Kualiti mewah akan meningkatkan nilai jenama anda dan akan meningkatkan jumlah jualan anda, Cupwind ialah pilihan terbaik untuk anda.

Kraf ditekan mesin yang menjadikannya tahan lama dan boleh lulus ujian kejutan haba dan penyepuh lindapan.





Kesan Proses

Cupwind menerima reka bentuk tersuai OEM/ODM.

Kami boleh mencipta bentuk anda sendiri dengan/tanpa nama jenama.

Hasan ini tersedia untuk penyemburan, penyaduran elektrik, lukisan logam, pelekat, setem panas, skrin sutera, sandblast, pemindahan air dll.



Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid

Kami menawarkan set aksesori lilin dalam warna hitam, perak, emas, emas mawar, gangsa dan lain-lain. Tudung kayu, bahan kayu boleh didapati dalam MDF, Pine, Buluh, Beech, Walnut, Paulownia, Akasia, Kayu Getah, Oak Merah, Oak Putih, abu Eropah, Maple dll. Penutup logam, bahan logam boleh didapati dalam Timah, Keluli Tahan Karat, Aloji Zink, Besi Tahan Karat dll.



Neck



Stopper



Reed



TEST REPORT



8821087-0425
Page 3 of 4

Semua pesanan balang lilin kaca diuji oleh pihak ketiga

Biasanya kami menggunakan ujian Cali 65 Pro, ujian ASTM (Annealing and Thermal Shock), ujian Plumbum dan Kadmium.

SHENZHEN JIEHUA TRADING CO., LTD		LAB LOCATION: SHENZHEN		TEST NUMBER: 8821087-0425		Result Rating																									
ATTN: SUMAR ZOU		DATE IN: APR 01, 2021		DATE OUT: APR 03, 2021																											
COMPANY: SHENZHEN JIEHUA TRADING CO., LTD		REVISOR: WONG HUI YING		PAGE: 2 OF 4																											
OVERALL RATING PASS ☒ FAIL ☐ DATA ☐																															
TESTING FOR CASS LEAD & CADMIUM ON NON-FOOD BEVERAGE GLASSWARE-EXTERIOR																															
<table border="1"> <tr> <td>Sample Description:</td> <td>IRIDESCENT COATING CANDLE JAR</td> <td>P.O. No.:</td> <td></td> </tr> <tr> <td>Manufacturer:</td> <td>CUPWIND COOPERATED FACILITY</td> <td>Style:</td> <td></td> </tr> <tr> <td>Buyer:</td> <td>SPSY</td> <td>Country of Destination:</td> <td>USA</td> </tr> <tr> <td>Brand name:</td> <td>CUPWIND</td> <td></td> <td></td> </tr> <tr> <td>Re-test:</td> <td>Yes: ☐ No: ☒</td> <td>Charge Vendor:</td> <td>Yes: ☒ No: ☐</td> </tr> <tr> <td>Previous Report No.:</td> <td>17</td> <td></td> <td></td> </tr> </table>								Sample Description:	IRIDESCENT COATING CANDLE JAR	P.O. No.:		Manufacturer:	CUPWIND COOPERATED FACILITY	Style:		Buyer:	SPSY	Country of Destination:	USA	Brand name:	CUPWIND			Re-test:	Yes: ☐ No: ☒	Charge Vendor:	Yes: ☒ No: ☐	Previous Report No.:	17		
Sample Description:	IRIDESCENT COATING CANDLE JAR	P.O. No.:																													
Manufacturer:	CUPWIND COOPERATED FACILITY	Style:																													
Buyer:	SPSY	Country of Destination:	USA																												
Brand name:	CUPWIND																														
Re-test:	Yes: ☐ No: ☒	Charge Vendor:	Yes: ☒ No: ☐																												
Previous Report No.:	17																														
EXECUTIVE SUMMARY: <table border="1"> <thead> <tr> <th>Test Name</th> <th>Standard</th> <th>Result</th> <th>Pass/Fail</th> </tr> </thead> <tbody> <tr> <td>Effectiveness of annealing</td> <td>ASTM F2175-20 Sec. 4.2 (M40)</td> <td>With a finger nail, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom of the article. The article shall not show any fractures. If any, for each test.</td> <td>M PASS</td> </tr> <tr> <td>Thermal shock</td> <td>ASTM F2175-20 Sec. 4.2 (M40) ASTM C149</td> <td>Modification: expanded scope to all other glass products in addition to candle containers. That not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - Do not allow that collects within the container during the first immersion shall be retained in the container through the second immersion. The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.</td> <td>M PASS</td> </tr> </tbody> </table>								Test Name	Standard	Result	Pass/Fail	Effectiveness of annealing	ASTM F2175-20 Sec. 4.2 (M40)	With a finger nail, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom of the article. The article shall not show any fractures. If any, for each test.	M PASS	Thermal shock	ASTM F2175-20 Sec. 4.2 (M40) ASTM C149	Modification: expanded scope to all other glass products in addition to candle containers. That not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - Do not allow that collects within the container during the first immersion shall be retained in the container through the second immersion. The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M PASS												
Test Name	Standard	Result	Pass/Fail																												
Effectiveness of annealing	ASTM F2175-20 Sec. 4.2 (M40)	With a finger nail, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom of the article. The article shall not show any fractures. If any, for each test.	M PASS																												
Thermal shock	ASTM F2175-20 Sec. 4.2 (M40) ASTM C149	Modification: expanded scope to all other glass products in addition to candle containers. That not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - Do not allow that collects within the container during the first immersion shall be retained in the container through the second immersion. The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M PASS																												
REMARK: 1. No witnessed protocol for test results in this report.																															

Cupwind mempunyai bengkel menghias 10000 meter persegi.

20 jenis mesin menghias yang berbeza.

20 tahun pengalaman dalam bidang menghias.

20 kilang kaca stabil menyokong dengan pelbagai bekas kaca.

Proses pembungkusan dan palet

Karton beralun dengan pembahagi papan silang, selamat untuk penghantaran antarabangsa.

Kotak hadiah tersuai. Keperluan kotak lembut boleh diterima.

