

Botol Peresap Seramik Persegi Wangian Rumah 6oz



Cupwind berpengalaman [Pembekal botol peresap persegi seramik China](#), kami membekalkan botol diffuser dalam bahan kaca dan bahan seramik. MOQ untuk botol penyebar seramik boleh serendah 2000pcs, bentuk, saiz dan penutup yang berbeza boleh disesuaikan.



Botol penyebar dalam bentuk empat segi k!Sebagaiik, ia memegang haruman minyak 6oz, permukaan tekstur akan membolehkan anda mempunyai perasaan sentuhan istimewa apabila anda memegangnya. Kami mempunyai pemegang lilin seramik yang sepadan, ia akan menjadi set hiasan yang sempurna di dalam bilik mandi.



As [Pemborong botol penyebar seramik persegi China](#), Cupwind akan sentiasa menyediakan fesyen dan produk istimewa untuk menjadikan jenama anda unqiue. Untuk botol penyebar ini, kami mempunyai penutup bunga yang dihias, kami boleh menyesuaikan warna dan saiz seperti yang anda perlukan.



Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



Neck



Stopper



Reed





Gift Box.



Gift Box

Kecuali penutup seramik, kami juga membekalkan aksesori lain untuk botol penyebar, seperti penyumbat, palam, buluh, kotak hadiah, dll



Kami membalut setiap produk dengan beg opp untuk menjauhkan diri daripada habuk, kemudian karton beralun dengan pembahagi papan silang. Palet kayu sentiasa cekap untuk penghantaran LCL, dan kami akan menambah jaring kapas di tempat pintu untuk melindungi daripada jatuh apabila membuka pintu kontena.



TEST REPORT



(852)097-0435
Page 3 of 4

SHENZHEN JIERUIMA TRADING CO., LTD
NO.415 RUILIAN BUILDING, SHENZHU ROAD,
HEGGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
(852)097-0435
LAB NUMBER:

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING		
PASS	X	
FAIL		
DATA		

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD/
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR
Manufacturer:	CUPWIND COOPERATED FACILITY
Buyer:	CHINA Style: /
Country of Origin:	CHINA Country of Destination: USA
Color:	IRIDESCENT SKU Number: ITEM# 8090
Brand name:	CUPWIND ®
Re-test:	Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/> Charge Vendor: Yes: <input type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	/

EXECUTIVE SUMMARY:

Test content	Result Rating
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior	Meet/Pass

Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod)	With a tungsten carbide scriber, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test. Modification: expanded scope to all other glass products in addition to candle containers.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149	Shall not crack or break after tested per below - prepare a cold-water bath at $21 \pm 1.1^\circ\text{C}$ ($70 \pm 2^\circ\text{F}$) - immerse the sample completely in the hot water bath and allow to soak for $5\text{ min} \pm 10\text{ s}$. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be $15 \pm 1\text{ s}$. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

- No enclosed protocol for test results in this report.

Semua balang lilin kaca kami diuji oleh pihak ketiga. Biasanya kami menggunakan ujian Cali 65 Pro, ujian ASTM (Annealing and Thermal Shock), ujian Plumbum dan Kadmium.