

Octagon Clear Glass Candle Holder 52oz Kaca Besar

Q

Kekuatan kita?

A: Bengkel menghias 10000 meter persegi.

20 jenis mesin menghias yang berbeza.

20 tahun pengalaman dalam bidang menghias

20 kilang kaca stabil menyokong.

Pembuatan jenama terkenal di seluruh dunia seperti Armani, Zara dll.

Cupwind berpengalaman [Pembekal pemegang lilin besar China](#) selama bertahun-tahun.

Ciri-ciri Produk



Gelas lilin yang diperbuat daripada kaca kapur Soda, balang 52oz untuk membuat lilin, balang lilin jernih datang dengan 4 saiz yang berbeza

Kapal lilin 52oz ini adalah saiz terbesar antara set, balang lilin saiz besar menjadi semakin popular di pasaran

As [Kilang pemegang lilin besar China](#) , Cupwind menghasilkan banyak pemegang lilin kaca ditekan mesin, kesemuanya boleh lulus ujian penyepuhlindungan dan kejutan haba






Cupwind menerima reka bentuk tersuai OEM/ODM.

Kami boleh mencipta bentuk anda sendiri dengan/tanpa nama jenama.

Hiasan ini tersedia untuk penyemburan, penyaduran elektrik, lukisan logam, pelekat, setem panas, skrin sutera, sandblast, pemindahan air dll.



TEST REPORT



8821087-0425
Page 3 of 4

Semua pesanan balang lilin kaca diuji oleh pihak ketiga

Biasanya kami mengikutkan ujian Cali 65 Pro, ujian ASTM (Annealing and Thermal Shock), ujian Plumbum dan Kadmium.

OVERALL RATING			
PASS	X		
FAIL			
DATA			

TESTING FOR CASS LEAD & CADMIUM ON NON-FOOD BEVERAGE GLASSWARE-EXTENSION			
Sample Description:	IRIDESCENT COATING CANDLE JAR		
Manufacturer:	CUPWIND COOPERATED FACILITY		
Buyer:	SPSY	Country of Destination:	USA
Consent Origin:	CHINA	Brand name:	CUPWIND
Re-test:	Yes: No: X	Charge Vendor:	Yes: X No:
Previous Report No:	17		

EXECUTIVE SUMMARY:

Pinhak ketiga		Result Rating	Pass/Fail	
Effectiveness of annealing	ASTM F2175-20 Sec. 4.2 (M40)	With a finger nail, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom from the center to the edge. This should be done in the hot water bath at 210 ± 1 °C (410 ± 2 °F). Wait 15 minutes, then spray the water at the same room temperature as the glass. Wait 15 minutes, then spray the water and examine each piece for fractures. That show no fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2175-20 Sec. 4.2 (M40) ASTM C149	Modification: expanded scope to all other glass products in addition to candle containers. That not crack or break after tested per below: - prepare a hot bath at 71 ± 1 °C (160 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - Do not allow that collects within the container during the first immersion shall be retained in the container through the second immersion. - The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

1. No witnessed protocol for test results in this report.

20 jenis mesin menghisap yang berbeza.

20 tahun pengalaman dalam bidang menghias.

20 kilang kaca stabil menyokong dengan pelbagai bekas kaca.

Proses pembungkusan dan palet

Karton beralun dengan pembahagi papan silang, selamat untuk penghantaran antarabangsa.

Kotak hadiah tersuai. Keperluan kotak lembut boleh diterima.

