

Pembekal Botol Kaca Peresap Reed Square



kekuatan kita

[Pembekal Botol Kaca Peresap Reed Square China](#)

10000 meter persegi pemilikan bengkel menghias.

20 jenis mesin menghias yang berbeza.

20 tahun pengalaman dalam bidang menghias.


20 kilang kaca bekerjasama stabil, kilang seramik, kilang kotak hadiah, kilang penutup logam, kilang penutup kayu menyokong.

Pembuatan jenama terkenal di seluruh dunia seperti Porsche, Armani, Zara dll.

ini botol peresap persegi menegang wangian 5.5oz, sesuai untuk rumah, hotel, restoran. Bentuk segi empat sama menjadikan produk itu klasik dan elegan.



Ciri Produk



Kesan proses



Cupwind menerima reka bentuk tersuai OEM/ODM. Kami boleh mencipta bentuk anda sendiri dengan/tanpa nama jenama. Hiasan yang tersedia untuk penyemburan, penyaduran elektrik, lukisan logam, pelekat, setem

panas, skrin sutera, sandblast, pemindahan air dll.



TEST REPORT



(852)097-0435
Page 3 of 4

SHENZHEN JIERUMA TRADING CO., LTD
NO.415 RUILIAN BUILDING, SHENZHU ROAD,
HENGGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: (852)097-0435

EXECUTIVE SUMMARY:

Test content: CA 65 Lead & Cadmium on non-food/beverage glassware-exterior Result/Rating: Meet/Pass

Semua pesanan kaca kami diuji oleh pihak ketiga.
Biasanya kami menggunakan ujian Cat 65-2000, ujian ASTM (Annealing and Thermal Shock), ujian Plumbeum dan Kadmium.

OVERALL RATING	
PASS	X
FAIL	
DATA	

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD/
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR
Manufacturer:	CUPWIND COOPERATED FACILITY
Buyer:	IPSY
Country of Origin:	CHINA
Color:	IRIDESCENT
Brand name:	CUPWIND®
Re-test:	Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>
Previous Report No.:	/
P.O. No.:	/
Style:	/
Country of Destination:	USA
SKU Number:	ITEM# 8090

Effectiveness of coating	ASTM F2179-20 Sec. 4.2 (Mod)	With a tungsten carbide sphere, scratch the surface of the article. Then apply an equal amount of pressure to the surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the test specimen's surface with a depth of 0.05 mm. After the test, inspect the article for 15 minutes in an empty travel case and examine each piece for fractures. Shall show no fractures. Report the number of fractures. If any, report each fracture and its location. This test may be applied scope to all other glass products in addition to candle containers.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149	Shall not crack or break after tested per below - prepare a cold-water bath at 21±1.1°C (70±2°F) - prepare a hot bath at 71±1.1°C (160±2°F) - immerse the sample completely in the hot water and remove and break for 5 min ± 10 s. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion - the time of removal from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

- No enclosed protocol for test results in this report.

Proses pembungkusan dan palet



Kami membalut setiap satu kaca botol penyebar dengan beg opp untuk menjauhkan diri daripada habuk, kemudian karton beralun dengan pembahagi papan silang. Palet kayu sentiasa cekap untuk penghantaran LCL, dan kami akan menambah jaring kapas di tempat pintu untuk melindungi daripada jatuh apabila membuka pintu kontena.