

## **Zapach domowy White Reed Dyfuzor Butelka 8,5 uncji**

Ta biała butelka z dyfuzorem z trzciny może pomieścić 8,5 uncji olejku zapachowego. To gorący produkt na rynku.

Unikalny design sprawia, że wygląda wspaniale i doskonale nadaje się do wystroju domu, aromaterapii, spa, medytacji, łazienki.

Dobrze pasuje do [biały świecznik](#) także.



Pusta butelka z dyfuzorem z białej trzciny jest również dobrym wazonem na kwiaty, prostym, ale eleganckim.

Przynosi radość i miłość.



Cupwind jest jednym z najbardziej profesjonalnych [białe butelki z dyfuzorem trzcinowym](#)  
[produkowane w Chinach](#)

Posiadamy własny warsztat dekoratorski, aby mieć oko na jakość butelki z dyfuzorem  
trzciniowym przed jej wysłaniem

MOQ tej okrągłej butelki z dyfuzorem to 5000 sztuk



Cupwind oferuje również inne akcesoria związane z butelką z dyfuzorem trzcinowym, takie jak stroik, zatyczka, pudełko upominkowe, korek itp.

Od lat mamy 6 stabilnych kooperantów. Jakość doskonale pasuje do naszych świeczników.

**Zatyczka do butelki z dyfuzorem**



**Zatyczka do butelki z dyfuzorem**



**Reed do butelki z dyfuzorem**






Oferujemy również pudełko upominkowe OEM i ODM do butelek z dyfuzorem trzcinowym.

Jeśli pudełko upominkowe nie jest potrzebne, powszechnym sposobem jest owinięcie każdego szkła świecznika torbą opp, aby chronić ją przed kurzem,

Następnie każde pudełko kartonowe pakujące 48 sztuk szkła świecowego oddzielone przegrodą do jajek. Paleta drewniana zawsze sprawna w transporcie,

i dodamy bawełnianą siatkę w miejscu drzwi, aby chronić przed upadkiem podczas otwierania drzwi kontenera.



Wszystkie wysyłane przez nas szklane świeczniki są testowane przez stronę trzecią  
Testy, które zawsze wykonujemy, przypominają testy wyżarzania i szoku termicznego

Testy Cali 65 Pro

Testy ołowiu i kadmu



# TEST REPORT



(8521)097-0435  
Page 3 of 4

SHENZHEN JIERUIMA TRADING CO., LTD  
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,  
HENGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN  
LAB NUMBER: (8521)097-0435

ATTN: EMMA ZOU  
CC: emma@cupwind.com

DATE IN: APR 07, 2021  
MOD. LOG IN: /  
DATE OUT: APR 13, 2021  
REVISED DATE: /  
WORKING DAYS: 5  
PAGE: 2 OF 4

| OVERALL RATING |   |
|----------------|---|
| PASS           | X |
| FAIL           |   |
| DATA           |   |

TESTING FOR  
CA 65 LEAD & CADMIUM ON NON-FOOD /  
BEVERAGE GLASSWARE-EXTERIOR

|                      |                               |                                         |                                                                           |
|----------------------|-------------------------------|-----------------------------------------|---------------------------------------------------------------------------|
| Sample Description:  | IRIDESCENT COATING CANDLE JAR |                                         |                                                                           |
| Manufacturer:        | CUPWIND COOPERATED            | P.O. No.:                               | /                                                                         |
| Buyer:               | IPSY                          | Style:                                  | /                                                                         |
| Country of Origin:   | CHINA                         | Country of Destination:                 | USA                                                                       |
| Color:               | IRIDESCENT                    | SKU Number:                             | ITEM# 8090                                                                |
| Brand name:          | CUPWIND®                      |                                         |                                                                           |
| Re-test:             | Yes: <input type="checkbox"/> | No: <input checked="" type="checkbox"/> | Charge Vendor: Yes: <input type="checkbox"/> No: <input type="checkbox"/> |
| Previous Report No.: | /                             |                                         |                                                                           |

## EXECUTIVE SUMMARY:

| Test contents                                                |                                          | Result/Rating                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |   |      |
|--------------------------------------------------------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|------|
| CA 65 Lead & Cadmium on non-food/beverage glassware-exterior |                                          | Meet/Pass                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |   |      |
| Effectiveness of annealing                                   | ASTM F2179-20 Sec. 4.2 (Mod)             | With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.<br><br>Modification: expanded scope to all other glass products in addition to candle containers.                                                                                                                                                                                                                                                                                                   | M | PASS |
| Thermal shock                                                | ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149 | Shall not crack or break after tested per below<br>- prepare a cold-water bath at $21 \pm 1.1^{\circ}\text{C}$ ( $70 \pm 2^{\circ}\text{F}$ ).<br>- prepare a hot bath at $71 \pm 1.1^{\circ}\text{C}$ ( $160 \pm 2^{\circ}\text{F}$ ).<br>- immerse the sample completely in the hot water bath and allow to soak for $5 \text{ min} \pm 10 \text{ s}$ .<br>- transfer the sample to the cold bath, and immerse for at least 30 s.<br>- remove the sample from the cold bath and examine the sample for any cracking.<br>Note:<br>- the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion<br>- the time of transfer from the hot bath to the cold bath shall be $15 \pm 1 \text{ s}$<br>Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers. | M | PASS |

## REMARK:

1. No enclosed protocol for test results in this report.