

13oz Black Cylinder Ceramic Candle Holder Factory



Black ceramic candle holder supplier

10000 square meters decorating workshop.

20 kinds of different decorating machines.

20 years experience in the decorating area.

20+ stable glass factories supporting.


Worldwide famous brands making such as Armani Zara etc.

Product Feature

Special powder decorated 13oz black ceramic candle holder in cylinder shape

The cylinder ceramic candle holder can also be used as vase for beautiful flowers

Cupwind is [Black ceramic candle container factory](#), our products is suitable for bath and body candle





Cupwind accepts OEM/ODM custom design.

We can create your own shape with/without a brand name.

The decoration is available for glazing, electroplating, metallic painting, decal, hot stamping, silk screen, water transfer, handpainting etc.



Wick Trimmer/Cutter




Zinc Alloy Lid




Wooden Lid


We offer candle accessory sets in black color, silver, gold, rose gold, bronze etc. Lids like: Wooden lids, the material of the wood is available in MDF, Pine, Bamboo, Beech, Walnut, Paulownia, Acacia, Rubber wood, Red Oak, White Oak, European ash, Maple etc. Metal lids, the material of the metal is available in Tin, Stainless Steel, Zinc Alloy, Stainless Iron etc. We also supply diffusers accessories like, stopper, collar, plug, reed. Gift boxes available for both candles and diffusers containers.



Neck



Stopper



Reed

Gift Box.



Gift Box



TEST REPORT



HS21097-0435
Page 3 of 4

All the orders of the glass candle jar are tested by a third party.

Usually we go with Cali 65 Pro tests, ASTM (Annealing and Thermal Shock) tests, Lead and Cadmium tests.

TESTING FOR CA 65 LEAD & CADMIUM ON NON-FOOD BEVERAGE GLASSWARE-EXTERIOR	
Sample Description:	IRIDESCENT COATING CANDLE JAR
Manufacturer:	CUPWIND COOPERATED FACILITY
Buyer:	POST
Country of Origin:	CHINA
Color:	IRIDESCENT
Brand name:	CUPWIND IS
Re-test:	Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/> Charge Vendor: Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
Previous Report No:	17

OVERALL RATING	
PASS	<input checked="" type="checkbox"/>
FAIL	<input type="checkbox"/>
DATA	<input type="checkbox"/>

EXECUTIVE SUMMARY	
Test Name:	CA 65 Lead & Cadmium on non-food/beverage glassware exterior
Method:	Method Pass
Electron microscope of annealing:	ASTM F2175-20, Sec. 4.2 (Mod.) With a larger particle size, around the inside knuckle of the jar. Then the jar is annealed in the hot water bath at 210 ± 1 °C (70 ± 2 °F). The jar is then cooled in the cold water bath at 15 ± 1 °C (59 ± 1 °F). The jar is then examined for fractures. If any fractures are observed, the jar is rejected. If no fractures are observed, the jar is accepted.
Thermal shock:	ASTM F2175-20, Sec. 4.2 (Mod.) ASTM C140 Modification: expanded scope to all other glass products in addition to candle containers. The jar is not cracked or broken after being tested per below: - prepare a hot water bath at 210 ± 1 °C (70 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 1 min ± 15 s; - transfer the sample to the cold bath and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.

REMARK:
1. No enclosed protocol for test results in this report.

Cupwind has 10000 square meters decorating workshop.

20 kinds of different decorating machines.

20 years experience in the decorating area.

20+ stable glass factories supporting with various of glass vessels.

Packaging and pallet process

Corrugated carton with cross board dividers, safe for international shipment.

Customized gift box, soft box requirements are acceptable.



