

**- Gold Candle Holders Glass Supplier -**



Our strength

---

[Gold candle holders wholesale China](#)

10000 square meters decorating workshop.


20 kinds of different decorating machines.

20 years experience in the decorating area.

20+ stable glass factories supporting.

Worldwide famous brands making such as Armani,Zara etc.

## PRODUCT FEATURE



The [gold candle holder](#) is made from soda lime glass. Heavy, durable, perfect for candle vessels. The luxury shiny gold is very suitable for weddings and holidays.



The [electroplating glass candle jar](#) sprays gold color. As you can see, other colors also can be done. You can fill different scents in the glass with different colors.



Effect of process



Cupwind accepts OEM/ODM custom design. We can create your own shape with/without a brand name. The decoration available for spraying, electroplating, metallic painting, decal, hot stamping, silk screen, sandblast, water transfer etc.



Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



Neck



Stopper



Reed



Gift Box.



Gift Box

We offer candle accessory sets in black color, silver, gold, rose gold, bronze etc. Wooden lids, the material of the wood is available in MDF, Pine, Bamboo, Beech, Walnut, Paulownia, Acacia, Rubber wood, Red Oak, White Oak, European ash, Maple etc. Metal lids, the material of the metal is available in Tin, Stainless Steel, Zinc Alloy, Stainless Iron etc.





## TEST REPORT



(8521)097-0435  
Page 3 of 4

SHENZHEN JIERUIMA TRADING CO., LTD  
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,  
HENGGAANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN  
LAB NUMBER: (8521)097-0435

ATTN: EMMA ZOU  
CC: emma@cupwind.com

DATE IN: APR 07, 2021  
MOB. LOG IN: /  
DATE OUT: /  
REVISED BY: /  
WORKING DAYS: 5  
PAGE: 2 OF 4

### OVERALL RATING

PASS  
FAIL  
DATA

TESTING FOR  
CA 65 LEAD & CADMIUM ON NON-FOOD/  
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR	P.O. No.:	/
Manufacturer:	CUPWIND COOPERATED	FACILITY	/
Buyer:	IPSY	Style:	/
Country of Origin:	CHINA	Country of Destination:	USA
Color:	IRIDESCENT	SKU Number:	ITEM#: 8090
Brand name:	CUPWIND®		
Re-test:	Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>	Charge Vendor:	Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	/		

### EXECUTIVE SUMMARY:

Test content	Result/Rating
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior	Meet/Pass

Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod)	With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. Do notches any 70 be made, using sufficient force to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine the glass for fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149	Modification: expanded scope to all other glass products in addition to beverage containers. - prepare a cold-water bath at 21 ± 1.1°C (70 ± 2°F). - prepare a hot bath at 71 ± 1.1°C (160 ± 2°F). - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 10 s. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

### REMARK:

1. No enclosed protocol for test results in this report.



## Factory Show



## Packaging and pallet process

Corrugated carton with cross board dividers, safe for international shipments. Customized gift box, soft box requirements are acceptable.

