

Handmade Glass Pillar, Taper, Candlestick Candle Holder D 5.11" x H 7.48"

Dimension: Overall Height: 7.48", Base Diameter: 5.11", Plate Diameter: 5.11", Plate Opening Diameter: 5.11"

Packing Available: Pack of 12, 18 and 24 pcs

Color: Clear

Material: Glass



This series of pillar candle holders are handmade products by artisan, the stem design is tear drops and rings, decorate with brilliant simplicity is what brides cannot resist.

The clear [glass candlestick](#) pillar is perfect for displaying your pillar candles (D-4.5" or smaller) and it's ideal for both wick and LED candles.

A dual-purpose candle holder can be used for pillar or taper candles.



You will find a slight lip and an indented center for potential wax spillage. This piece is great for weddings, restaurants, and churches use.

- Holds a standard 4.5 inches diameter or smaller pillar candle
- Holds a standard taper or [candlestick](#) candle



The MOQ of the glass pillar candle holder is like 3000pcs. Stunning and simple design glass pillar candle holder beautiful handcrafted by artisan. This stem candle holder is a great way to display any illumination design.

Fits best on most pillar candles. A great centerpiece decoration for any occasions and events such as Christmas, Valentine's Day, Mother's Day, wedding, parties and corporate events.

Marvelous gift idea for wedding, housewarming and holiday seasons. A great home decor accents, the [pillar candle holder](#) looks great in any home setting, you can put this on top of fireplace, console table, dining and living room.



As a professional pillar candlestick candle holders supplier China for years, Cupwind knows the quality and product safety is the most important thing to the brands, thus, we send mass production samples to third party for testing before shipping out all the candle holders, the tests we always proceed with candle holder are like annealing and thermal shock test, cadmium and lead test.

You will find one of our test report here [below](#).



TEST REPORT



8521097-0435
Page 3 of 4

SHENZHEN JIERUMA TRADING CO., LTD.
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGGAO, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN
LAB NUMBER: 8521097-0435

ATTN: EMMA ZOU
CC: emma@cupwind.com

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

OVERALL RATING	
PASS	<input checked="" type="checkbox"/>
FAIL	<input type="checkbox"/>
DATA	<input type="checkbox"/>

TESTING FOR CA 95 LEAD & CADMIUM ON NON-FOOD BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR		
Manufacturer:	CUPWIND COOPERATED FACILITY	P.O. No.:	/
Buyer:	POST	Style:	/
Country of Origin:	CHINA	Country of Destination:	USA
Color:	IRIDESCENT	SKU Number:	ITEM: 8090
Brand name:	CUPWIND IS		
Re-test:	Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>	Charge Vendor:	Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	/		

EXECUTIVE SUMMARY:

Test content		Test Result	Result Rating	
CA 95 Lead & Cadmium on non-food/beverage glassware-exterior			Met Pass	
Effectiveness of annealing	ASTM F2175-20 Sec. 4.2 (Mod)	With a long-term annealing cycle, scratch areas around the inside knuckle of the article. Then scratch on "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. There shall show no fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2175-20 Sec. 4.2 (Mod) / ASTM C149	Modification: expanded scope to all other glass products in addition to candle containers. That not crack or break after tested per below: - prepare a cold water bath at 21.1 ± 1.1°C (70 ± 2°F); - prepare a hot bath at 71 ± 1.1°C (160 ± 2°F); - immerse the sample completely in the hot water bath and allow to soak for 1 min ± 15 s; - transfer the sample to the cold bath; and - immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

1. No enclosed protocol for test results in this report.

Packaging and pallet process:
Corrugated carton with cross board dividers, safe for international shipments.
Customized gift box, soft box requirements are acceptable

