

## Internal Spray Glass Candle Holder Wholesale



Cupwind is experienced [China internal spray glass candle holder wholesale](#), we have our own decoration factory, we always looking to find new craft and new decorations to make the candle holders unique. All paint we use is eco-friendly and environmental.



The 8oz candlestick holder is popular used as votive candles container, perfect size for votive vessel. It's a regular production item in our workshop. Cupwind keeps stock all the year round. The MOQ for this glass can be as low as 3000pcs per each color.



We have matching wooden lid and metal lid for this 8oz votive candle holder. The material of the wood is available in MDF, Pine, Bamboo, Beech, Walnut, Paulownia, Acacia, Rubber wood, Red Oak, White Oak, European ash, Maple etc. Material of the metal is available in Tin, Stainless steel, Zinc Alloy etc.



Cupwind is the leading [china internal spray candle holdern supplier](#), we accepts OEM/ODM custom design. We can create your own shape with/without a brand name. The decoration available for spraying, electroplating, metallic painting, decal, hot stamping, silk screen, sandblast, water transfer etc.



Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



Neck



Stopper



Reed




Gift Box.




Gift Box



There are more candle accessories we can supply besides wooden lids. We can sell finished products with candles and gift boxes upon request.





We wrap each candle glass by an opp bag to keep away from dust, then corrugated cartons with cross board dividers. Wooden pallets are always efficient for LCL shipments, and we will add a cotton net in the door place to protect from falling when opening the container door.



## TEST REPORT



(8521)097-0435  
Page 3 of 4

SHENZHEN JIERUIMA TRADING CO., LTD.  
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,  
HENGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN  
LAB NUMBER: (8521)097-0435

ATTN: EMMA ZOU  
CC: emma@cupwind.com

DATE IN: APR 07, 2021  
MOD. LOG IN: /  
DATE OUT: APR 13, 2021  
REVISED DATE: /  
WORKING DAYS: 5  
PAGE: 2 OF 4

### OVERALL RATING

PASS ☒ X  
FAIL ☐  
DATA ☐

### TESTING FOR CA 65 LEAD & CADMIUM ON NON-FOOD/ BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR		
Manufacturer:	CUPWIND COOPERATED FACILITY	P.O. No.:	/
Buyer:	IPSY	Style:	/
Country of Origin:	CHINA	Country of Destination:	USA
Color:	IRIDESCENT	SKU Number:	ITEM# 8090
Brand name:	CUPWIND®		
Re-test:	Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/>	Charge Vendor:	Yes: <input checked="" type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	/		

### EXECUTIVE SUMMARY:

Test content	Result/Rating
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior	Meet/Pass

Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod)	With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149	Modification: expanded scope to all other glass products in addition to candle containers. Shall not crack or break after tested per below: - prepare a cold-water bath at $21 \pm 1.1^\circ\text{C}$ ( $70 \pm 2^\circ\text{F}$ ). - prepare a hot bath at $71 \pm 1.1^\circ\text{C}$ ( $160 \pm 2^\circ\text{F}$ ). - immerse the sample completely in the hot water bath and allow to soak for $5 \text{ min} \pm 10 \text{ s}$ . - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be $15 \pm 1 \text{ s}$ . Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

### REMARK:

1. No enclosed protocol for test results in this report.

All of our glass candle jar are tested by a third party. Usually we go with Cali 65 Pro tests,

ASTM (Annealing and Thermal Shock) tests, Lead and Cadmium tests.