Metalization Rose Gold Candle Jar 11oz

Metalization rose gold techniques are widely used on candle jars, lamps, metals, even the iphone is using it on the phone. The rose gold candle jar is luxury home decor as well as scented candle jar.



Cupwind is the leading <u>rose gold candle jar supplier in China</u>. We have 5 metalization electroplating machines in our own workshop. Each day we can produce 30,000pcs rose gold candle jars.



Cupwind is the leading rose gold candle jar manufacturer in China. We have our own workshop in $6000m^2$, and we have 70 people to do the metalization electroplating.



Cupwind offers gift box design and wholesale. If a gift box is not necessary, the common way we are using is to wrap each candle holder glass by an opp bag to keep away from dust, then each carton box packing 48pcs candle glass separated by an egg divider. Wooden pallets are always efficient while in transportation, and we will add a cotton net in the door place to protect from falling when opening the container door.



TEST REPORT

NO.415 RUN	JIEROIMA I HADING CO., LTD LAB LOCATIC ILIAN BUILDING, SHENZHU ROAD, I, 518115, SHENZHEN, CHINA			
	DATE OUT: REVISED DAT	MOD. LOG IN: / DATE OUT: APR 13, 2021 REVISED DATE: / WORKING DAYS: 5		
		OVERALL RATING		
	PASS FAIL DATA	x		
	TESTING FOR CA 65 LEAD & CADMIUM ON NON-FOO BEVERAGE GLASSWARE EXTERIOR			
Sample Des	cription: IRIDESCENT COATING CANDLE JAR			
Manufacture		P.O. No.: /		
Buyer:	IPSY	Style: /		
Country of				
Color:		(U Number: ITEM#: 9090		
Brand name	: CUPWIND 6			
Re-test:	Yes: No: X Char	rge Vendor: Yes: X No:		
Describers De	port No.: /	-		

Test content Result/Ra					
CA 65 Lead & Cadmium on non-lood/beverage glassware-exterior Meet/Pass					
Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod)	With a tungsten carbide sorths, scratch once around the inside knucke of the article. Then scratch an 7% across the entire linate betten surface of the article, but scratches to be the surface of the glass. Fill each article with water at the same room temperature as the glass. Wall 15 mitules, then emply the water and examine each piece for fractures. Shall show no tractures. Peport the number of fractures, if any, for each test. Modification: expended scope to all other glass. Modification: expended scope to all other glass products in addition to carbie containers.		М	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mody/ ASTM C149	Shall not crack or break after tested po- prepare a cold-water bath at 21±1.15 2°F). prepare a hot bath at 71±1.1°C (166 immerse the sample completely in the water both and allow to soak for 5 min- transfer the sample to the cold bath, immerse for at least 30 s. — immove the sample from the cold bath carmine the sample from the cold bath carmine the sample from the cold bath the contrainer through the second immerse the contrainer through the second immerse the contrainer from the hot bath hoddlineathless and the prepared the not and descended the contrainer of the contrainer than hoddlineathless of the contrainer of the contrainer of the hoddlineathless of the contrainer of the contrainer of the in addition to condition the condition and the manufacture of the contrainer of the contrainer of the contrainer of the condition and the hoddlineathless of the condition and the condition of the con	PC (70 ± 0 ± 2°F) e hot ± 10 s. and th and container lined in ersion to the	М	PASS

REMARK:

No enclosed protocol for test results in this report

All the glass candle holders we shipped out are tested by a third party. The tests we always do like the Annealing and Thermal Shock tests, Cali 65 Pro tests, Lead and Cadmium tests.