

## **Sampler Glass Apothecary Jar for Candle Making Grey 3 oz**



Our premium apothecary candle jar is embossed with beautiful pattern, the tin lid is printed with colors.

the candle glass is sprayed in grey which is for smoky scented candles promotion.



This embossment apothecary candle glass jar is made by I.S. Machine craft, the MOQ is 30000pcs.

There is a frame on the glass jar so that we can add sticker on to it.



The lid is made of metal tin, the patterns and colors is customize available with us.





Our strength is that we have our own decorating factory to do a bunch of decorations on the containers.

Such as silkscreen printing, [decal printing](#), electroplating, color sprays, [iridescent](#) plating etc.



Cupwind is professional [apothecary candle jar manufacturer](#) in china, we accept OEM/ODM custom design and we can create your own shape with/without a brand name.

furthermore, we offer candle accessories along with candle holders, such as metal lids, wooden lids, [gift box](#) etc.





Wick Trimmer Cutter



Zinc Alloy Lid



Wooden Lid



Neck



Stopper



Reed



Gift Box.




Gift Box

With years of experience working on candle holders, Cupwind knows how to protect our products.

each candle holder glass was wrapped by an opp bag to keep the dusts away, then corrugated cartons with cross board dividers.

Wooden pallets are always efficient for LCL shipments, and we will add a cotton net in the door place to protect from falling when opening the container door.



## **Quality Assure**

We have our own trained and experienced Qc team to check on product quality from the begining of production till the end, we will have interal QC report in english to show you before we ship out.

All of our glass candle jars are tested by a third party. Usually we go with Cali 65 Pro tests, ASTM (Annealing and Thermal Shock)tests, Lead and Cadmium tests.





# TEST REPORT



(8521)097-0435  
Page 3 of 4

SHENZHEN JIERUIMA TRADING CO., LTD  
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,  
HENGANG, 518115, SHENZHEN, CHINA

LAB LOCATION: SHENZHEN  
LAB NUMBER: (8521)097-0435

ATTN: EMMA ZOU  
CC: emma@cupwind.com

DATE IN: APR 07, 2021  
MOD. LOG IN: /  
DATE OUT: APR 13, 2021  
REVISED DATE: /  
WORKING DAYS: 5  
PAGE: 2 OF 4

## OVERALL RATING

PASS ☒  
FAIL ☐  
DATA ☐

## TESTING FOR CA 65 LEAD & CADMIUM ON NON-FOOD / BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	IRIDESCENT COATING CANDLE JAR
Manufacturer:	CUPWIND COOPERATED P.O. No.: /
Buyer:	IPSY Style: /
Country of Origin:	CHINA Country of Destination: USA
Color:	IRIDESCENT SKU Number: ITEM# 8090
Brand name:	CUPWIND®
Re-test:	Yes: <input type="checkbox"/> No: <input checked="" type="checkbox"/> Charge Vendor: Yes: <input type="checkbox"/> No: <input type="checkbox"/>
Previous Report No.:	/

## EXECUTIVE SUMMARY:

Test contents			Result/Rating	
CA 65 Lead & Cadmium on non-food/beverage glassware-exterior			Meet/Pass	
Effectiveness of annealing	ASTM F2179-20 Sec. 4.2 (Mod)	<p>With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.</p> <p>Modification: expanded scope to all other glass products in addition to candle containers.</p>	M	PASS
Thermal shock	ASTM F2179-20 Sec. 4.2 (Mod) / ASTM C149	<p>Shall not crack or break after tested per below</p> <p>prepare a cold-water bath at <math>21 \pm 1.1^{\circ}\text{C}</math> (<math>70 \pm 2^{\circ}\text{F}</math>).</p> <ul style="list-style-type: none"><li>- prepare a hot bath at <math>71 \pm 1.1^{\circ}\text{C}</math> (<math>160 \pm 2^{\circ}\text{F}</math>)</li><li>- immerse the sample completely in the hot water bath and allow to soak for <math>5 \text{ min} \pm 10 \text{ s}</math>.</li><li>- transfer the sample to the cold bath, and immerse for at least 30 s.</li><li>- remove the sample from the cold bath and examine the sample for any cracking.</li></ul> <p>Note:</p> <ul style="list-style-type: none"><li>- the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion</li><li>- the time of transfer from the hot bath to the cold bath shall be <math>15 \pm 1 \text{ s}</math></li></ul> <p>Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.</p>	M	PASS

## REMARK:

1. No enclosed protocol for test results in this report.