## Satin Candle Jars Wholesale 3.15 x 3.5 inch



This beautiful <u>candle jar</u> is decorated by color sprays, which is similar to satins. the unique look is making it different on the market and eye catching.



The satin sprays can also decorated on <u>diffuser bottles</u>, perfume bottles, beauty and body bottles, well, Cupwind is doing this decorations in our own workshop which is 10000m<sup>2</sup> with more than 20 different machines to get rich effects on the <u>candle vessels</u>.




What's more, Cupwind offer candle accessories for years, such as metal lids, gift boxes<u>, candle care tool</u>, collar, stopper etc.



Cupwind taking care of each piece of empty candle jars with safety. Each glass was wrapped by opp bag

to avoid dusts, insects, then certain pieces set into a export case with egg dividers.



The last but not the least, all the <u>glass candle jars</u> are tested by third parties, the tests we always proceed are like Annealing and Thermal Shock test, FDA test, Cross hatch test.

	TEST	REPORT	FX				
HENZHEN JIERUIMA TRADING CO., LTD IO 415 RUNLIAN BUILDING, SHENZHU ROAD, IENGGANG, 518115, SHENZHEN, CHINA	LAB LOCATION: LAB NUMBER:	SHENZHEN (8521)097-0435	+7-	EXECUTIVE SU Test content CA 65 Lead & Ca	20200 - 2020) 	Result Rating beverage glassware-extensor Mees Pass	]
ATTN: EMMA ZOU CC: emma@cupwind.com		APR 07, 2021 APR 19, 2021 5 2 OF 4 L RATING		Effectiveness of annealing	ASTM F2:75-20 Sec. 4.2 (Mod)	With a tungsten carbide scribe, scratch once acound the incide knubble of the article. Then scribes of the article, All scribes are to be mode using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait is minutes, then enough the water and examine each glace for fractures. Teaching it and the summer of fractures, if any, for each test. Modification: regisneded scoge to all other glass	M PASS
CA 65 LEAD & CADMIU BEVERAGE CLASSY isample Description: IRIDESCENT COATING C fanutacturer: CUPWING COOPERATE FACULTY IPSY Jountry of Origin: CHIRA Solor: IRIDESCENT rand name: CUPWIND 6 hesest: Yes; INC: X	M ON NON-FOOD / /ARE-EXTERIOR CANDLE JAR D P.O. N Sty Country of Destimatic SKU Numb	de: /		Thermal shock	ASTM F217620 Sec. 42 (Mod) / ASTM C149	products in addision to candle containers. Shall not candle to break after tested per below - prepare a cold-water bath at 21s 1.1°C (70 s 2°F), - prepare a hot bath at 71 s 1.1°C (160 s 2°F) - interacts the sample completely in the hot water bath and allow to soak for 5 min ± 10 s. - interacts the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the social immersion - the hot water that collects within the container during the first immersion shall be retained in the container through the social immersion - the inter vater that collects within the container during the first immersion shall be retained in the container through the social immersion - the time of transfer (from the hot bath to the Modification: transfer (from the not bath to the modification candle containers.	M PASS
revious Report No.: /	ona go reno			REMARK: 1. No enclosed	protocol for test resu	its in this report.	