

Frasco difusor de vidro azul de vidro para casa 5 onças



Fornecedor de garrafa difusor azul

10000 metros quadrados de oficina de decoração.

20 tipos de máquinas de decoração diferentes.

20 anos de experiência na área de decoração.

20 fábricas de vidro estáveis apoiando.

Fabricação de marcas mundialmente famosas como Armani Zara etc.

Característica do produto

O frasco difusor feito de vidro da linha soda, com base grossa, spray de cor azul, o que torna o produto de qualidade e clássico.

O [garrafa difusor de vidro azul](#) segura 5 onças de óleo de perfume, a forma redonda e o volume são muito populares no mercado.

Há um colar e um plugue correspondentes para as garrafas do difusor. Oferecemos diferentes cores de garrafas e opções. As linhas na parte inferior do frasco difusor são usadas para evitar que o frasco de vidro se quebre durante o recozimento.



Cupwind aceita design personalizado OEM/ODM.

Podemos criar sua própria forma com/sem marca.

A decoração está disponível para pulverização, galvanoplastia, pintura metálica, decalque, estampagem a quente, serigrafia, transferência de água, pintura à mão etc.



Todos os pedidos do frasco de vela de vidro são testados por terceiros.

Normalmente vamos com testes Cali 65 Pro, testes ASTM (Annealing and Thermal Shock), testes de chumbo e cádmio.

SHENZHEN REBORN TRADING CO., LTD.		SHENZHEN	
HENGJIAN, 518115, SHENZHEN, CHINA		HENGJIAN, 518115, SHENZHEN, CHINA	
ATTN: EMMA ZOU	DATE IN: APR 12, 2021	EXECUTIVE SUMMARY:	
DATE OUT: APR 13, 2021	DATE OUT: APR 13, 2021		
REVISED DATE:	REVISED DATE:		
REVISION NO:	REVISION NO:		
PAGE: 2 OF 4	PAGE: 2 OF 4		

OVERALL RATING	
PASS	X
FAIL	
DATA	

TESTING FOR	
CARS LEAD & CADMIUM ON NON-FOOD / BEVERAGE GLASSWARE-EXTERIOR	
Sample Description:	IRIDESCENT COATING CANDLE JAR
Manufacturer:	CUPWIND COOPERATED FACTORY
Buyer:	IPSY
Country of Origin:	CHINA
Country of Destination:	USA
Brand Name:	CUPWIND
Re-test:	Yes: No: X
Change Vendor:	Yes: X No:
Previous Report No.:	7

Examination of annealing	ASTM F2179-20 Sec. 4.2 (NAB)	Result	Pass/Fail
Thermal shock <td>ASTM F2179-20 Sec. 4.2 (NAB) / ASTM C149<td>With a long-term annealing, scratch area around the inside knuckle of the article. Then scratch on "C" across the entire inside bottom of the article. The scratch area to be water at the same room temperature as the glass. Wait 15 minutes, then apply the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.</td><td>Pass</td></td>	ASTM F2179-20 Sec. 4.2 (NAB) / ASTM C149 <td>With a long-term annealing, scratch area around the inside knuckle of the article. Then scratch on "C" across the entire inside bottom of the article. The scratch area to be water at the same room temperature as the glass. Wait 15 minutes, then apply the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.</td> <td>Pass</td>	With a long-term annealing, scratch area around the inside knuckle of the article. Then scratch on "C" across the entire inside bottom of the article. The scratch area to be water at the same room temperature as the glass. Wait 15 minutes, then apply the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test.	Pass

Examination of annealing	ASTM F2179-20 Sec. 4.2 (NAB)	Result	Pass/Fail
Thermal shock <td>ASTM F2179-20 Sec. 4.2 (NAB) / ASTM C149<td>Shall not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath, and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and extended scope to all other glass products in addition to candle containers.</td><td>Pass</td></td>	ASTM F2179-20 Sec. 4.2 (NAB) / ASTM C149 <td>Shall not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath, and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and extended scope to all other glass products in addition to candle containers.</td> <td>Pass</td>	Shall not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath, and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and extended scope to all other glass products in addition to candle containers.	Pass

REMARK:

1. No enclosed protocol for test results in this report.

Cupwind tem 10.000 metros quadrados de oficina de decoração.

20 tipos de máquinas de decoração diferentes.

20 anos de experiência na área de decoração.

Mais de 20 fábricas de vidro estáveis que suportam vários recipientes de vidro.

Processo de embalagem e palete

Caixa de papelão ondulado com divisórias cruzadas, segura para envios internacionais.

Caixa de presente personalizada, requisitos de caixa madia são aceitáveis.

