

Q

Nossa força?

UMA: 10000 metros quadrados de oficina de decoração.

20 tipos de máquinas de decoração diferentes.

20 anos de experiência na área de decoração.

20 fábricas de vidro estáveis apoiando.

Fabricação de marcas mundialmente famosas como Armani, Zara etc.

Cupwind é experiente [Fornecedor de castiçal a granel da china](#) por muitos anos.

características do produto



O vidro de vela feito de vidro de soda cal, é um frasco de 14,5 onças para fazer velas, os frascos de velas transparentes vêm com 4 tamanhos diferentes

Este vaso de vela de 14,5 onças é o tamanho médio entre os conjuntos, vela muito popular tamanho 2 pavios

As [Fábrica de castiçal a granel na China](#), Cupwind produz muitos castiçais de vidro prensados à máquina, todos eles podem passar por testes de recozimento e choque térmico






Cupwind aceita design personalizado OEM/ODM.

Podemos criar sua própria forma com/sem marca.

A decoração está disponível para pulverização, galvanoplastia, pintura metálica, decalque, estampagem a quente, serigrafia, jato de areia, transferência de água etc.



TEST REPORT

SHENZHEN JIEHUA TRADING CO., LTD.
HENGZIGANG 518115, SHENZHEN, CHINA

ATTN: SARMA ZOU
Email: sarma.zou@cupwind.com

DATE IN: 10/03/2021
DATE OUT: 10/03/2021
REVISED DATE: 10/03/2021
PAGE: 1 OF 4

OVERALL RATING
PASS ☒
FAIL ☐
DATA ☐

TESTING FOR
CARS LEAD & CADMIUM ON NON-FOOD
BEVERAGE GLASSWARE-EXTERIOR

Sample Description:	Manufacturer:	P.O. No.:
WICK TRIMMER COATED CANDLE JAR	CUPWIND COOPERATED	
Buyer:	Style:	
Country of Origin:	Country of Destination:	
Brand Name:	Model No.:	
Re-test:	Yes: ☐ No: ☒	Change Vendor: Yes: ☐ No: ☒
Previous Report No.:	7	

EXECUTIVE SUMMARY:

Examination of annealing	ASTM F2190-20 Sec. 4.2 (Note)	Result	Pass/Fail	
Thermal shock <td>ASTM F2190-20 Sec. 4.2 (Note) / ASTM C149</td> <td>With a long-handled corker, scratch twice around the middle knuckle of the article. Then scratch an "X" across the entire inside bottom of the article. Immerse the article in the water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. That show no fractures. Report the number of fractures, if any, for each test. Modification: expanded scope to all other glass products in addition to candle containers. Shall not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - transfer the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath, and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.</td> <td>M</td> <td>PASS</td>	ASTM F2190-20 Sec. 4.2 (Note) / ASTM C149	With a long-handled corker, scratch twice around the middle knuckle of the article. Then scratch an "X" across the entire inside bottom of the article. Immerse the article in the water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. That show no fractures. Report the number of fractures, if any, for each test. Modification: expanded scope to all other glass products in addition to candle containers. Shall not crack or break after tested per below: - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F); - transfer the sample completely in the hot water bath and allow to soak for 5 min ± 15 s; - transfer the sample to the cold bath, and immerse for at least 30 s; - remove the sample from the cold bath and examine the sample for any cracking. Note: - The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. - The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:
1. No enclosed protocol for test results in this report.

Todos os pedidos do frasco de vela de vidro são testados por terceiros.

Normalmente vamos com testes Cali 65 Pro, testes ASTM (Annealing and Thermal Shock), testes de chumbo e cádmio.

Cupwind tem 10.000 metros quadrados de oficina de decoração.

20 tipos de máquinas de decoração diferentes.

20 anos de experiência na área de decoração.

Mais de 20 fábricas de vidro estáveis que suportam vários recipientes de vidro.

Processo de embalagem e palete

Caixa de papelão ondulado com divisórias cruzadas, segura para envios internacionais.

Caixa de presente personalizada, requisitos de caixa macia são aceitáveis.

