

Porta-velas de abacaxi jarra de vidro iridescente 4,5 onças



UMA: 10000 metros quadrados de oficina de decoração.

20 tipos de máquinas de decoração diferentes.

20 anos de experiência na área de decoração.

20 fábricas de vidro estáveis apoiando.

Fabricação de marcas mundialmente famosas como Armani Zara etc.

Cupwind é um profissional [fornecedor de frasco de vela de abacaxi de vidro](#) por muitos anos.

características do produto

- Frasco de vidro de castiçais votivos de 4,5 onças com revestimento iridescente, que é um tamanho perfeito popular para velas de pequena capacidade.

- Revestimento iridescente Aurora polaris que o torna deslumbrante.

- Castiçal de vidro prensado à máquina que pode passar por testes de recozimento e choque térmico.

- Este belo castiçal de abacaxi votiva é uma boa escolha para fins de promoção.

- MOQ pequeno que é bom para pequenas empresas.

- É sempre vendido em embalagem com linda caixa de presente, como conjunto de 3, conjunto de 6 etc.

Efeito do processo

Cupwind aceita design personalizado OEM/ODM.

Podemos criar sua própria forma com/sem marca.

A decoração está disponível para pulverização, galvanoplastia, pintura metálica, decalque, estampagem a quente, serigrafia, jato de areia, transferência de água etc.



Oferecemos conjuntos de acessórios de velas na cor preta, prata, ouro, ouro rosa, bronze etc. Tampas de madeira, o material da madeira está disponível em MDF, Pinho, Bambu, Faia, Nogueira, Paulownia, Acácia, Madeira de borracha, Carvalho vermelho, Carvalho branco, freixo europeu, bordo etc. Tampas de metal, o material do metal está disponível em estanho, aço inoxidável, liga de zinco, ferro inoxidável etc.

TEST REPORT

SHENZHEN RESEARCH TESTING CO., LTD. (Logo)

EXECUTIVE SUMMARY:

Effectiveness of annealing	ASTM F2179-20 (Sec. 4.2 (NA))	With a tungsten carbide scriber, scratch area around the inside knuckle of the article. Then scratch on "2" across the entire inside bottom surface of the glass. Immerse in hot water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Show no fractures. Report the number of fractures, if any, for each test.	M	PASS
Thermal shock	ASTM F2179-20 (Sec. 4.2 (NA)) / ASTM C149	Modification: expanded scope to all other glass products in addition to candle containers. Small not crack or break after tested per below - prepare a cold-water bath at 21 ± 1 °C (70 ± 2 °F) - prepare a hot bath at 71 ± 1 °C (160 ± 2 °F) - immerse the sample completely in the hot water bath and allow to soak for 3 min ± 15 s. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: The hot water that collects within the container during the first immersion shall be retained in the container through the second immersion. The time of transfer from the hot bath to the cold bath shall be 15 ± 1 s. Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

1. No enclosed protocol for test results in this report.

TESTING FOR CADMIUM AND LEAD ON NON-FOOD BEVERAGE GLASSWARE-EXTERIOR

Sample Description: IRIDESCENT COATING CANDLE JAR

Manufacturer: CUPWIND COOPERATED P.O. No.:

Buyer: BPSY Style:

Country of Origin: CHINA Country of Destination: USA

Brand Name: CUPWIND

Re-test: Yes: No: X Charge Vendor: Yes: X No:

Previous Report No: 7

OVERALL RATING: PASS (X)

Todos os pedidos do frasco de vela de vidro são testados por terceiros.

Normalmente vamos com testes Cali 65 Pro, testes ASTM (Annealing and Thermal Shock), testes de chumbo e cádmio.

Cupwind tem 10.000 metros quadrados de oficina de decoração.

20 tipos de máquinas de decoração diferentes.

20 anos de experiência na área de decoração.

Mais de 20 fábricas de vidro estáveis que suportam vários recipientes de vidro.

Processo de embalagem e palete



Caixa de papelão ondulado com divisórias cruzadas, segura para empresas internacionais.

Caixa de presente personalizada, requisitos de caixa macia são atendidos.

