

Атласные банки для свечей оптом 3,15 x 3,5 дюйма



Этот красивый [банка для свечей](#) декорирован цветными спреями, похожими на сатин. уникальный внешний вид выделяет его на рынке и привлекает внимание.




Сатиновые спреи также можно украшать [бутылки с диффузором](#), флаконы для духов, флаконы для красоты и тела, Ну, Cupwind делает эти украшения в нашей собственной мастерской, которая составляет 10000 м² с более чем 20 различными машинами, чтобы получить богатые эффекты на [.](#)



Более того, Cupwind годами предлагает аксессуары для свечей, такие как металлические крышки, подарочные коробки, [инструмент для ухода за свечами](#), воротник, стопор и т. д.



Cupwind заботится о каждом кусочке [пустые банки из-под свечей](#) с безопасностью. Каждое стекло было завернуто в полипропиленовый пакет, чтобы избежать пыли, насекомых, а затем определенные части были помещены в экспортный ящик с разделителями для яиц.



Последнее, но не менее важное, все [стеклянные баночки для свечей](#) тестируются третьими сторонами, мы всегда проводим такие тесты, как тест на отжиг и тепловой удар, тест FDA, тест на перекрестную штриховку.



TEST REPORT

(8521)007-0435
Page 3 of 4

SHEZHEN JIERUIMA TRADING CO., LTD
NO.415 RUNLIAN BUILDING, SHENZHU ROAD,
HENGANG, 518115, SHENZHEN, CHINA

ATTN: EMMA ZOU
CC: emma@cupwind.com

LAB LOCATION: SHENZHEN
LAB NUMBER: (8521)007-0435

DATE IN: APR 07, 2021
MOD. LOG IN: /
DATE OUT: APR 13, 2021
REVISED DATE: /
WORKING DAYS: 5
PAGE: 2 OF 4

TESTING FOR
CA 65 LEAD & CADMIUM ON NON-FOOD /
BEVERAGE GLASSWARE-EXTERIOR

OVERALL RATING

PASS	X
FAIL	
DATA	

Sample Description: IRIDESCENT COATING CANDLE JAR	P.O. No.: /
Manufacturer: CUPWIND COOPERATED FACILITY	Style: /
Buyer: IPSY	Country of Destination: USA
Country of Origin: CHINA	SKU Number: ITEM# 8090
Color: IRIDESCENT	
Brand name: CUPWIND'S	
Re-test: Yes: / No: X	Charge Vendor: Yes: X No: /
Previous Report No.: /	

EXECUTIVE SUMMARY:

Test content	Result/Pass	M	PASS
CA 65 Lead & Cadmium on non-food beverage glassware-exterior	Meet/Pass		
Effectiveness of annealing	ASTM F2175-20 Sec. 4.2 (Mod) With a tungsten carbide scribe, scratch once around the inside knuckle of the article. Then scratch an "X" across the entire inside bottom surface of the article. All scratches are to be made using sufficient pressure to just penetrate the surface of the glass. Fill each article with water at the same room temperature as the glass. Wait 15 minutes, then empty the water and examine each piece for fractures. Shall show no fractures. Report the number of fractures, if any, for each test. Modification: expanded scope to all other glass products in addition to candle containers.		
Thermal shock	ASTM F2175-20 Sec. 4.2 (Mod) / ASTM C149 Shall not crack or break after tested per below: - prepare a cold-water bath at 21±1.1°C (70±2°F) - prepare a hot bath at 71±1.1°C (160±2°F) - immerse the sample completely in the hot water bath and allow to soak for 5 min ± 10 s. - transfer the sample to the cold bath, and immerse for at least 30 s. - remove the sample from the cold bath and examine the sample for any cracking. Note: - the hot water that collects within the container during the first immersion shall be retained in the container through the second immersion - the time of transfer from the hot bath to the cold bath shall be 15 ± 1 s Modification: sampling procedure not followed and expanded scope to all other glass products in addition to candle containers.	M	PASS

REMARK:

1. No enclosed protocol for test results in this report.